

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

**January 1 through December 31, 2008**

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	1/5/2008		1/24/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Ammonia as Nitrogen (N)	mg/L	10.1/-	0.56	*	ND < 0.30	*

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	1/5/2008		1/24/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Nickel, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Selenium	ug/L	-/-	ND < 0.30	U	ND < 0.30	U
Selenium, dissolved	ug/L	-/-	ND < 0.30	U	ND < 0.30	U
Silver	ug/L	-/-	ANR	ANR	ANR	ANR
Silver, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Thallium	ug/L	-/-	ANR	ANR	ANR	ANR
Thallium, dissolved	ug/L	-/-	ANR	ANR	ANR	ANR
Zinc	ug/L	159/-	160	--	55	--
Zinc, dissolved	ug/L	-/-	140	--	44	--
<b>ORGANICS</b>						
Benzene	ug/L	-/-	ANR	ANR	ANR	ANR
Carbon Tetrachloride	ug/L	-/-	ANR	ANR	ANR	ANR
Chloroform	ug/L	-/-	ANR	ANR	ANR	ANR
1,1-Dichloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
1,2-Dichloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
1,1-Dichloroethene	ug/L	-/-	ANR	ANR	ANR	ANR
1,4-Dioxane	ug/L	3/-	ND < 1.0	*	ND < 1.0	*
Ethylbenzene	ug/L	-/-	ANR	ANR	ANR	ANR
Tetrachloroethene	ug/L	-/-	ANR	ANR	ANR	ANR
Toluene	ug/L	-/-	ANR	ANR	ANR	ANR
Xylenes (Total)	ug/L	-/-	ANR	ANR	ANR	ANR
1,1,1-Trichloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
1,1,2-Trichloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
Trichloroethene	ug/L	-/-	ANR	ANR	ANR	ANR
Trichlorofluoromethane	ug/L	-/-	ANR	ANR	ANR	ANR
Trichlorotrifluoroethane (Freon 113)	ug/L	-/-	ANR	ANR	ANR	ANR
Vinyl chloride	ug/L	-/-	ANR	ANR	ANR	ANR
<b>TPH</b>						
EFH (C13 - C22)	mg/L	0.1/-	ND < 0.094	*	ND < 0.095	*
DRO (C13 - C28)	mg/L	0.1/-	ANR	ANR	ANR	ANR
GRO (C4 - C12)	mg/L	0.1/-	ND < 0.025	*	ND < 0.025	*
TRPH	mg/L	0.1/-	ANR	ANR	ANR	ANR
<b>ADDITIONAL ANALYTES</b>						
2,4,5-Trichlorophenol	ug/L	-/-	ANR	ANR	ANR	ANR
1,1,2,2-Tetrachloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
1,2,4-Trichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,2,3-Trichloropropane	ug/L	-/-	ND < 0.40	U	ND < 0.40	U
1,2-Dibromoethane (EDB)	ug/L	50/-	ND < 0.40	U	ND < 0.40	U
1,2-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,2-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,2-Dichloropropane	ug/L	-/-	ANR	ANR	ANR	ANR
1,2-Diphenylhydrazine/Azobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,4-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
1,4-Dichlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	1/5/2008		1/24/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
2,4,6-Trichlorophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2,4-Dichlorophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2,4-Dimethylphenol	ug/L	-/-	ANR	ANR	ANR	ANR
2,4-Dinitrophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2,4-Dinitrotoluene	ug/L	-/-	ANR	ANR	ANR	ANR
2,6-Dinitrotoluene	ug/L	-/-	ANR	ANR	ANR	ANR
2-Chloroethylvinylether	ug/L	-/-	ANR	ANR	ANR	ANR
2-Chloronaphthalene	ug/L	-/-	ANR	ANR	ANR	ANR
2-Chlorophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2-Methyl-4,6-dinitrophenol	ug/L	-/-	ANR	ANR	ANR	ANR
2-Methylnaphthalene	ug/L	-/-	ANR	ANR	ANR	ANR
2-Methylphenol	ug/L	-/-	ANR	ANR	ANR	ANR
2-Nitrophenol	ug/L	-/-	ANR	ANR	ANR	ANR
3,3'-Dichlorobenzidine	ug/L	-/-	ANR	ANR	ANR	ANR
4,4'-DDD	ug/L	-/-	ANR	ANR	ANR	ANR
4,4'-DDE	ug/L	-/-	ANR	ANR	ANR	ANR
4,4'-DDT	ug/L	-/-	ANR	ANR	ANR	ANR
4-Bromophenylphenylether	ug/L	-/-	ANR	ANR	ANR	ANR
4-Chloro-3-methylphenol	ug/L	-/-	ANR	ANR	ANR	ANR
4-Chloroaniline	ug/L	-/-	ANR	ANR	ANR	ANR
4-Chlorophenylphenylether	ug/L	-/-	ANR	ANR	ANR	ANR
4-Nitrophenol	ug/L	-/-	ANR	ANR	ANR	ANR
Acenaphthene	ug/L	-/-	ANR	ANR	ANR	ANR
Acenaphthylene	ug/L	-/-	ANR	ANR	ANR	ANR
Acrolein	ug/L	-/-	ANR	ANR	ANR	ANR
Acrylonitrile	ug/L	-/-	ANR	ANR	ANR	ANR
Acute Toxicity	% SURVIVAL	70-100/-	ANR	ANR	ANR	ANR
Aldrin	ug/L	-/-	ANR	ANR	ANR	ANR
alpha-BHC	ug/L	-/-	ANR	ANR	ANR	ANR
Aniline	ug/L	-/-	ANR	ANR	ANR	ANR
Anthracene	ug/L	-/-	ANR	ANR	ANR	ANR
Aroclor-1016	ug/L	-/-	ANR	ANR	ANR	ANR
Aroclor-1298NR-/-	ANR	ANR	ANR	ANR		
Aroclor-1298NR-/-		ug/L	DSANR	ANR		
Aroclor-1298NR-/-		ug/L	DSANR			ug/L
494.6QRANR	ANR	ANR	ANR	ANR		
AcrylonitrileANR	ANR	ANR	ANR			
2-Nitrophenol	70-100/-	ANR	ANR	ANR		

-/u-64

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	1/5/2008		1/24/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
beta-BHC	ug/L	-/-	ANR	ANR	ANR	ANR
bis (2-Chloroethyl) ether	ug/L	-/-	ANR	ANR	ANR	ANR
bis (2-ethylhexyl) Phthalate	ug/L	-/-	ANR	ANR	ANR	ANR
bis(2-Chloroethoxy) methane	ug/L	-/-	ANR	ANR	ANR	ANR
bis(2-Chloroisopropyl) ether	ug/L	-/-	ANR	ANR	ANR	ANR
Bromodichloromethane	ug/L	-/-	ANR	ANR	ANR	ANR
Bromoform	ug/L	-/-	ANR	ANR	ANR	ANR
Bromomethane	ug/L	-/-	ANR	ANR	ANR	ANR
Butylbenzylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Chlordane	ug/L	-/-	ANR	ANR	ANR	ANR
Chlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
Chloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
Chloromethane	ug/L	-/-	ANR	ANR	ANR	ANR
Chrysene	ug/L	-/-	ANR	ANR	ANR	ANR
cis-1,3-Dichloropropene	ug/L	-/-	ANR	ANR	ANR	ANR
delta-BHC	ug/L	-/-	ANR	ANR	ANR	ANR
Dibenzo(a,h)anthracene	ug/L	-/-	ANR	ANR	ANR	ANR
Dibenzofuran	ug/L	-/-	ANR	ANR	ANR	ANR
Dibromochloromethane	ug/L	-/-	ANR	ANR	ANR	ANR
Dieldrin	ug/L	-/-	ANR	ANR	ANR	ANR
Diethylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Diisopropyl ether	ug/L	-/-	ND < 0.25	U	ND < 0.25	U
Dimethylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Di-n-butylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Di-n-octylphthalate	ug/L	-/-	ANR	ANR	ANR	ANR
Endosulfan I	ug/L	-/-	ANR	ANR	ANR	ANR
Endosulfan II	ug/L	-/-	ANR	ANR	ANR	ANR
Endosulfan sulfate	ug/L	-/-	ANR	ANR	ANR	ANR
Endrin	ug/L	-/-	ANR	ANR	ANR	ANR
Endrin aldehyde	ug/L	-/-	ANR	ANR	ANR	ANR
Endrin ketone	ug/L	-/-	ANR	ANR	ANR	ANR
Fluoranthene	ug/L	-/-	ANR	ANR	ANR	ANR
Fluorene	ug/L	-/-	ANR	ANR	ANR	ANR
Heptachlor	ug/L	-/-	ANR	ANR	ANR	ANR
Heptachlor epoxide	ug/L	-/-	ANR	ANR	ANR	ANR
Hexachlorobenzene	ug/L	-/-	ANR	ANR	ANR	ANR
Hexachlorobutadiene	ug/L	-/-	ANR	ANR	ANR	ANR
Hexachlorocyclopentadiene	ug/L	-/-	ANR	ANR	ANR	ANR
Hexachloroethane	ug/L	-/-	ANR	ANR	ANR	ANR
Indeno(1,2,3-cd)pyrene	ug/L	-/-	ANR	ANR	ANR	ANR
Isophorone	ug/L	-/-	ANR	ANR	ANR	ANR
Lindane (gamma-BHC)	ug/L	-/-	ANR	ANR	ANR	ANR
Methoxychlor	ug/L	-/-	ANR	ANR	ANR	ANR
Methylene Chloride	ug/L	-/-	ANR	ANR	ANR	ANR
Methyl-tert-butyl ether	ug/L	-/-	ND < 0.32	U	ND < 0.32	U
m-Nitroaniline	ug/L	-/-	ANR	ANR	ANR	ANR

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

**January 1 through December 31, 2008**

<b>ANALYTE</b>	<b>UNITS</b>	<b>Benchmark</b>	<b>1/5/2008</b>	<b>1/24/2008</b>
----------------	--------------	------------------	-----------------	------------------

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

**January 1 through December 31, 2008**

**ANALYTE**

**UNITS**

**Benchmark  
Limit Daily  
Max/Monthly  
Avg**

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	2/24/2008		12/15/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Nickel, dissolved	ug/L	-/-	ND < 2.0	U	ANR	ANR
Selenium	ug/L	-/-	ND < 0.30	U	ND < 0.30	*
Selenium, dissolved	ug/L	-/-	ND < 0.30	U	ND < 0.30	*
Silver	ug/L	-/-	ND < 0.30	U	ANR	ANR
Silver, dissolved	ug/L	-/-	ND < 0.30	U	ANR	ANR
Thallium	ug/L	-/-	ND < 0.20	U	ANR	ANR
Thallium, dissolved	ug/L	-/-	ND < 0.20	U	ANR	ANR
Zinc	ug/L	159/-	66	--	79	*
Zinc, dissolved	ug/L	-/-	64	--	3.8	B, J* (DNQ)
<b>ORGANICS</b>						
Benzene	ug/L	-/-	ND < 0.28	U	ANR	ANR
Carbon Tetrachloride	ug/L	-/-	ND < 0.28	U	ANR	ANR
Chloroform	ug/L	-/-	ND < 0.33	U	ANR	ANR
1,1-Dichloroethane	ug/L	-/-	ND < 0.27	U	ANR	ANR
1,2-Dichloroethane	ug/L	-/-	ND < 0.28	U	ANR	ANR
1,1-Dichloroethene	ug/L	-/-	ND < 0.42	U	ANR	ANR
1,4-Dioxane	ug/L	3/-	ND < 1.0	*	ND < 1.0	*
Ethylbenzene	ug/L	-/-	ND < 0.25	U	ANR	ANR
Tetrachloroethene	ug/L	-/-	ND < 0.32	U	ANR	ANR
Toluene	ug/L	-/-	ND < 0.36	U	ANR	ANR
Xylenes (Total)	ug/L	-/-	ND < 0.90	U	ANR	ANR
1,1,1-Trichloroethane	ug/L	-/-	ND < 0.30	U	ANR	ANR
1,1,2-Trichloroethane	ug/L	-/-	ND < 0.30	U	ANR	ANR
Trichloroethene	ug/L	-/-	ND < 0.26	U	ANR	ANR
Trichlorofluoromethane	ug/L	-/-	ND < 0.34	U	ANR	ANR
Trichlorotrifluoroethane (Freon 113)	ug/L	-/-	ND < 0.50	U	ANR	ANR
Vinyl chloride	ug/L	-/-	ND < 0.30	U	ANR	ANR
<b>TPH</b>						
EFH (C13 - C22)	mg/L	0.1/-	ND < 0.026	*	ANR	ANR
DRO (C13 - C28)	mg/L	0.1/-	ANR	ANR	0.055	J* (DNQ)
GRO (C4 - C12)	mg/L	0.1/-	ND < 0.030	*	ND < 0.030	*
TRPH	mg/L	0.1/-	ANR	ANR	ANR	ANR
<b>ADDITIONAL ANALYTES</b>						
2,4,5-Trichlorophenol	ug/L	-/-	ND < 2.9	*	ANR	ANR
1,1,2,2-Tetrachloroethane	ug/L	-/-	ND < 0.24	U	ANR	ANR
1,2,4-Trichlorobenzene	ug/L	-/-	ND < 2.4	*	ANR	ANR
1,2,3-Trichloropropane	ug/L	-/-	ND < 0.40	U	ND < 0.40	*
1,2-Dibromoethane (EDB)	ug/L	50/-	ND < 0.40	U	ND < 0.40	*
1,2-Dichlorobenzene	ug/L	-/-	ND < 2.9	*	ANR	ANR
1,2-Dichlorobenzene	ug/L	-/-	ND < 0.32	U	ANR	ANR
1,2-Dichloropropane	ug/L	-/-	ND < 0.35	U	ANR	ANR
1,2-Diphenylhydrazine/Azobenzene	ug/L	-/-	ND < 2.4	*	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	ND < 0.35	U	ANR	ANR
1,3-Dichlorobenzene	ug/L	-/-	ND < 2.9	*	ANR	ANR
1,4-Dichlorobenzene	ug/L	-/-	ND < 2.4	*	ANR	ANR
1,4-Dichlorobenzene	ug/L	-/-	ND < 0.37	U	ANR	ANR

See attached notes for abbreviations, definitions and other explanations for the data presented.

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

**January 1 through December 31, 2008**

<b>ANALYTE</b>	<b>UNITS</b>	<b>Benchmark Limit Daily Max/Monthly Avg</b>
2,4,6-Trichlorophenol	ug/L	-/-
2,4-Dichlorophenol	ug/L	-/-
2,4-Dimethylphenol	ug/L	-/-
2,4-Dihydro(2,4-Di)hydroxy	ug/L	-/-
2,4-Dichloro(2,4-Di)hydroxy	ug/L	-/-



**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	2/24/2008		12/15/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
beta-BHC	ug/L	-/-	ND < 0.0038	*	ANR	ANR
bis (2-Chloroethyl) ether	ug/L	-/-	ND < 2.9	*	ANR	ANR
bis (2-ethylhexyl) Phthalate	ug/L	-/-	ND < 3.8	*	ANR	ANR
bis(2-Chloroethoxy) methane	ug/L	-/-	ND < 2.9	*	ANR	ANR
bis(2-Chloroisopropyl) ether	ug/L	-/-	ND < 2.4	*	ANR	ANR
Bromodichloromethane	ug/L	-/-	ND < 0.30	U	ANR	ANR
Bromoform	ug/L	-/-	ND < 0.40	U	ANR	ANR
Bromomethane	ug/L	-/-	ND < 0.42	U	ANR	ANR
Butylbenzylphthalate	ug/L	-/-	ND < 3.8	*	ANR	ANR
Chlordane	ug/L	-/-	ND < 0.028	*	ANR	ANR
Chlorobenzene	ug/L	-/-	ND < 0.36	U	ANR	ANR
Chloroethane	ug/L	-/-	ND < 0.40	U	ANR	ANR
Chloromethane	ug/L	-/-	ND < 0.40	U	ANR	ANR
Chrysene	ug/L	-/-	ND < 2.4	*	ANR	ANR
cis-1,3-Dichloropropene	ug/L	-/-	ND < 0.22	U	ANR	ANR
delta-BHC	ug/L	-/-	ND < 0.0033	*	ANR	ANR
Dibenzo(a,h)anthracene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Dibenzofuran	ug/L	-/-	ND < 3.8	*	ANR	ANR
Dibromochloromethane	ug/L	-/-	ND < 0.28	U	ANR	ANR
Dieldrin	ug/L	-/-	ND < 0.0019	*	ANR	ANR
Diethylphthalate	ug/L	-/-	ND < 3.3	*	ANR	ANR
Diisopropyl ether	ug/L	-/-	ND < 0.25	U	ND < 0.25	*
Dimethylphthalate	ug/L	-/-	ND < 1.9	*	ANR	ANR
Di-n-butylphthalate	ug/L	-/-	ND < 2.9	*	ANR	ANR
Di-n-octylphthalate	ug/L	-/-	ND < 3.3	*	ANR	ANR
Endosulfan I	ug/L	-/-	ND < 0.0019	*	ANR	ANR
Endosulfan II	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Endosulfan sulfate	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Endrin	ug/L	-/-	ND < 0.0019	*	ANR	ANR
Endrin aldehyde	ug/L	-/-	ND < 0.0019	*	ANR	ANR
Endrin ketone	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Fluoranthene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Fluorene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Heptachlor	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Heptachlor epoxide	ug/L	-/-	ND < 0.0024	*	ANR	ANR
Hexachlorobenzene	ug/L	-/-	ND < 2.9	*	ANR	ANR
Hexachlorobutadiene	ug/L	-/-	ND < 3.8	*	ANR	ANR
Hexachlorocyclopentadiene	ug/L	-/-	ND < 4.8	*	ANR	ANR
Hexachloroethane	ug/L	-/-	ND < 3.3	*	ANR	ANR
Indeno(1,2,3-cd)pyrene	ug/L	-/-	ND < 3.3	*	ANR	ANR
Isophorone	ug/L	-/-	ND < 2.4	*	ANR	ANR
Lindane (gamma-BHC)	ug/L	-/-	ND < 0.0028	*	ANR	ANR
Methoxychlor	ug/L	-/-	ND < 0.0033	*	ANR	ANR
Methylene Chloride	ug/L	-/-	ND < 0.95	UJ (T)	ANR	ANR
Methyl-tert-butyl ether	ug/L	-/-	ND < 0.32	U	ND < 0.32	*
m-Nitroaniline	ug/L	-/-	ND < 2.9	*	ANR	ANR

See attached notes for abbreviations, definitions and other explanations for the data presented.

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

January 1 through December 31, 2008

ANALYTE	UNITS	Benchmark Limit Daily Max/Monthly Avg	2/24/2008		12/15/2008	
			RESULT	VALIDATION QUALIFIER	RESULT	VALIDATION QUALIFIER
Monomethyl Hydrazine	ug/L	-/-	ANR	ANR	ANR	ANR
Naphthalene	ug/L	21/-	ND < 2.9	*	ND < 2.9	*
Nitrobenzene	ug/L	-/-	ND < 2.4	*	ANR	ANR
n-Nitrosodimethylamine	ug/L	-/-	ND < 2.4	*	ND < 2.4	*
n-Nitroso-di-n-propylamine	ug/L	-/-	ND < 3.3	*	ANR	ANR
n-Nitrosodiphenylamine	ug/L	-/-	ND < 1.9	*	ANR	ANR
o-Nitroaniline	ug/L	-/-	ND < 1.9	*	ANR	ANR
p-Cresol	ug/L	-/-	ND < 2.9	*	ANR	ANR
Pentachlorophenol	ug/L	-/-	ND < 3.3	*	ANR	ANR
Phenanthrene	ug/L	-/-	ND < 3.3	*	ANR	ANR
Phenol	ug/L	-/-	ND < 1.9	*	ANR	ANR
p-Nitroaniline	ug/L	-/-	ND < 3.8	*	ANR	ANR
Pyrene	ug/L	-/-	ND < 3.8	*	ANR	ANR
tertiary Butyl Alcohol	ug/L	12/-	ND < 4.9	U	ND < 6.5	*
Toxaphene	ug/L	-/-	ND < 0.066	*	ANR	ANR
trans-1,2-Dichloroethene	ug/L	-/-	ND < 0.27	U	ANR	ANR
trans-1,3-Dichloropropene	ug/L	-/-	ND < 0.32	U	ANR	ANR

See attached notes for abbreviations, definitions and other explanations for the data presented.

**OUTFALL 013 (Bravo Test Stand)**

**ANNUAL 2008 REPORTING SUMMARY  
THE BOEING COMPANY  
SANTA SUSANA FIELD LABORATORY  
NPDES PERMIT CA0001309**

**Sample Date January 5, 2008**


<b>ANALYTE</b>	<b>LAB LOD (ug/L)</b>	<b>LAB RL (ug/L)</b>	<b>LAB RESULT (ug/L)</b>	<b>VALIDATION QUALIFIER</b>	<b>1998 WHO TEF</b>	<b>TCDD Equivalent (w/DNQ Values) (ug/L)</b>	<b>TCDD Equivalent (w/out DNQ Values) (ug/L)</b>
1,2,3,4,6,7,8-HpCDD	0.00E+00	2.50E-05	6.23E-06	J (DNQ)	0.01	<b>6.23E-08</b>	ND
1,2,3,4,6,7,8-HpCDF	0.00E+00	3.11E-06	ND	UJ (*III)	0.01	<b>ND</b>	ND
1,2,3,4,7,8,9-HpCDF	1.67E-06	2.50E-05	ND	U	0.01	<b>ND</b>	ND
1,2,3,4,7,8-HxCDD	2.34E-06	2.50E-05	ND	U	0.1	<b>ND</b>	ND
1,2,3,4,7,8-HxCDF	1.09E-06	2.50E-05	ND	U	0.1	<b>ND</b>	ND
1,2,3,6,7,8-HxCDD	2.51E-06	2.50E-05	ND	U	0.1	<b>ND</b>	ND
1,2,3,6,7,8-HxCDF	1.17E-06	2.50E-05	ND	U	0.1	<b>ND</b>	ND
1,2,3,7,8,9-HxCDD	2.33E-06	2.50E-05	ND	U	0.1	<b>ND</b>	ND
1,2,3,7,8,9-HxCDF	1.60E-06	2.50E-05	ND	U	0.1	<b>ND</b>	ND
1,2,3,7,8-PeCDD	2.12E-06	2.50E-05	ND	U	1	<b>ND</b>	ND
1,2,3,7,8-PeCDF	2.81E-06	2.50E-05	ND	U	0.05	<b>ND</b>	ND
2,3,4,6,7,8-HxCDF	1.20E-06	2.50E-05	ND	U	0.1	<b>ND</b>	ND
2,3,4,7,8-PeCDF	2.75E-06	2.50E-05	ND	U	0.5	<b>ND</b>	ND
2,3,7,8-TCDD	1.12E-06	5.00E-06	ND	U	1	<b>ND</b>	ND
2,3,7,8-TCDF	0.00E+00	1.64E-06	ND	UJ (*III)	0.1	<b>ND</b>	ND
OCDD	0.00E+00	5.00E-05	4.73E-05	J (DNQ)	0.0001		









### 2008: Outfall 013 BORON



### 2008: Outfall 013 CADMIUM




### 2008: Outfall 013 COPPER









**2008: Outfall 013 ACUTE TOXICITY**




# 2008: Outfall 013 FLUORIDE




2008: Outfall 013 NITRITE-N




2008: Outfall 013 OIL & GREASE



2008: Outfall 013 PERCHLORATE











2008: Outfall 013 EFH (C13 - C22)



### 2008: Outfall 013 1,4-DIOXANE

