

TABLE 1
2009 RAINFALL SUMMARY

**TABLE 1
2009 DAILY RAINFALL SUMMARY**

**THE BOEING COMPANY
NPDES PERMIT NUMBER
CA0001309**

Station: AREA4
Parameter: Rain
Month/Year: March 2009

HOUR OF THE DAY

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Total	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.07	0.09	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
D A Y O F T H E M O N T H 21	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.07	0.01	0.01	0.01	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00D	0.17C	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

D = Marked down, valid hour
C = Calibration by EMC, not included in rainfall total

**TABLE 1
2009 DAILY RAINFALL SUMMARY**

**THE BOEING COMPANY
NPDES PERMIT NUMBER
CA0001309**

Station: AREA4
Parameter: Rain
Month/Year: May 2009

HOUR OF THE DAY

	Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Total
	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00p	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00p	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
D	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
A	11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Y	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
O	14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
F	15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00p	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
T	17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H	18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
E	19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
M	21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
O	22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**TABLE 1
2009 DAILY RAINFALL SUMMARY**

**THE BOEING COMPANY
NPDES PERMIT NUMBER
CA0001309**

Station: AREA4
Parameter: Rain
Month/Year: June 2009

HOUR OF THE DAY

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Total	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00p	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
D	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
A	11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Y	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
O	14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
F	15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
T	17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H	18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
E	19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
M	21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
O	22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N	23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
T	24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H	25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	30																									0.00

**TABLE 1
2009 DAILY RAINFALL SUMMARY**

**THE BOEING COMPANY
NPDES PERMIT NUMBER
CA0001309**

Station: AREA4
Parameter: Rain
Month/Year: September 2009

HOUR OF THE DAY

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Total	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
D	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
A	11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Y	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
O	14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11 D	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11 D
F	15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
T	17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H	18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
E	19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
M	21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
O	22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N	23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
T	24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H	25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**TABLE 1
2009 DAILY RAINFALL SUMMARY**

**THE BOEING COMPANY
NPDES PERMIT NUMBER
CA0001309**

Station: AREA4
Parameter: Rain
Month/Year: October 2009

HOUR OF THE DAY

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Total	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
D A Y O F T H E M O N T H 20	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	13	0.00	0.00	0.00	0.00	0.00	0.02	0.07	0.01	0.00p	0.08	0.07	0.00	0.04	0.01	0.05	0.08	0.08	0.08	0.12	0.13	0.21	0.24	0.13	0.06	1.48
	14	0.12	0.07	0.01	0.04	0.10	0.17	0.16	0.07	0.07	0.08	0.03	0.02	0.02	0.01	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00
	15	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
	16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

p = Power failure, invalid hour

**TABLE 1
2009 DAILY RAINFALL SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

Station: AREA4

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

TABLE 2

2009 LIQUID WASTE SHIPMENT SUMMARY

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
1/2/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
1/2/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
1/2/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
1/8/2009	BATTERY, WET, NON-SPILLABLE	227	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
1/8/2009	POLYCHLORINATED BIPHENYLS	13	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
1/8/2009	POLYCHLORINATED BIPHENYLS	146	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
1/8/2009	WASTE FLAMMABLE LIQUIDS (METHYL ETHYL KETONE, ISOPROPYL ALCOHOL)	178	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
1/8/2009	WASTE CORROSIVE LIQUID (SULFURIC ACID, HYDROCHLORIC ACID)	62	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
1/8/2009	WASTE MERCURY CONTAINED IN MANUFACTURED ARTICLES	22	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
1/8/2009	NON-RCRA HAZARDOUS WASTE LIQUID (SURFACTANTS, WATER)	478	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
1/8/2009	NON-RCRA HAZARDOUS WASTE LIQUID (ETHYLENE GLYCOL, WATER)	40	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
1/12/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
1/12/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
1/12/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
1/21/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41360	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
1/22/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	33540	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
1/23/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	37160	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
1/26/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
1/26/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
1/26/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/4/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	24800	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/5/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/5/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/5/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
2/5/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	42660	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/6/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	4400	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/6/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	16320	GAL.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/9/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/9/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/9/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
2/12/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	39160	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/13/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
2/13/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/13/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/13/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	42600	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/16/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	42180	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/18/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	40800	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/19/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/19/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/19/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	40640	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/20/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/20/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/20/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson 5000 GAL. 3400 MANOR STRC, BAKERSF, CA 93308

SOUTHWEST PROCESSORS INC.
1704 W. FIRST ST. AZUSA, CA. 91702

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
2/25/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41670	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/25/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED LIQUID (OUTFALL RINSE WATER)	40080	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/26/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/26/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
2/26/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
2/26/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	37520	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/26/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED LIQUID (OUTFALL RINSE WATER)	40740	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/27/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41100	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
2/27/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED LIQUID (OUTFALL RINSE WATER)	41800	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
3/2/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED LIQUID (OUTFALL RINSE WATER)	17460	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
3/2/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	39720	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
3/2/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED LIQUID (BUILDING 4024 WATER)	43080	LBS.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.
3/2/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED LIQUID (BUILDING 4024 WATER)	43060	LBS.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.
3/3/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED LIQUID (BUILDING 4024 WATER)	22280	LBS.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.
3/3/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED LIQUID (BUILDING 4024 WATER)	42420	LBS.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.
3/3/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	29300	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
3/3/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	40500	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
3/4/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
3/4/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
3/4/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
3/10/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	28360	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
3/11/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
3/11/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
3/11/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
3/11/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	17720	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
3/12/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	24960	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
3/18/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
3/18/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
3/18/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
3/18/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	30400	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
3/19/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41000	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
3/20/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	40600	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058

TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
3/31/2009					

TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
--------------	----------------	------	-------	-------------	-------------

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
4/9/2009	NON-HAZARDOUS MATERIAL (RINSE WATER)	2634	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	40740	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
4/9/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	41760	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
4/9/2009	POLYCHLORINATED BIPHENYLS	148	KG.	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
4/9/2009	POLYCHLORINATED BIPHENYLS	33	KG.	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
4/9/2009	POLYCHLORINATED BIPHENYLS	12	KG.	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
4/9/2009	WASTE AEROSOLS (PETROLEUM DISTILLATES)	23	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	HAZARDOUS WASTE, SOLID (DEBRIS, LEAD)	631	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	HAZARDOUS WASTE, SOLID (ACETONE, DEBRIS, TOLUENE)	598	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	HAZARDOUS WASTE, SOLID (DEBRIS, LEAD, CHROME)	87	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	NON-RCRA HAZARDOUS WASTE SOLID (DEBRIS/SOIL)	43	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702

TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
4/9/2009	WASTE FLAMMABLE LIQUIDS (METHANOL, WATER)	86	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	NON-RCRA HAZARDOUS WASTE LIQUID (ETHYLENE GLYCOL, WATER)	634	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	WASTE KEROSENE	65	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	HAZARDOUS WASTE SOLID (CRESOL, WOOD)	8	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	NON-RCRA HAZARDOUS WASTE SOLID (OIL FILTER)	99	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	NON-RCRA HAZARDOUS WASTE LIQUID	55	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	HAZARDOUS WASTE, SOLID (MERCURY)	20	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/9/2009	WASTE PAINT RELATED MATERIAL (PETROLEUM DISTILLATES)	1000	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC.	VEOLIA ENVIRONMENTAL SERVICES INC.

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
4/9/2009	NON-RCRA HAZARDOUS WASTE LIQUID	797	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/10/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	40520	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
4/15/2009	POLYCHLORINATED BIPHENYLS, LIQUID	3327	KG.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
4/15/2009	NON-RCRA HAZARDOUS WASTE LIQUID (OIL FILLED TRANSFORMER)	8550	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
4/15/2009	NON-RCRA HAZARDOUS WASTE LIQUID (OIL FILLED TRANSFORMER)	6046	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
4/15/2009	HAZARDOUS WASTE, SOLID (ACETONE, DEBRIS, TOLUENE)	43	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
4/22/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
4/22/2009	WASTE WATER FROM AREA II & AREA III SEWAGE TREATMENT PLANTS	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
4/22/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED RINSE WATER (OUTFALL RINSE WATER)	37400	LBS.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.
4/22/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED RINSE WATER (OUTFALL RINSE WATER)	18200	LBS.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.
4/24/2009	HAZARDOUS WASTE LIQUID (SOIL, TRICHLOROETHENE WATER)	15	CY.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	CHEMICAL WASTE MANAGEMENT 35251 OLD SKYLINE RD. KETTLEMAN CITY, CA. 93239
4/29/2009	HAZARDOUS WASTE LIQUID (SOIL, TRICHLOROETHENE WATER)	12	CY.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	CHEMICAL WASTE MANAGEMENT 35251 OLD SKYLINE RD. KETTLEMAN CITY, CA. 93239
5/4/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	33380	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/4/2009	WASTE HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS	4575	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/4/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED STORM WATER (OUTFALL STORM WATER)	41900	LBS.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.
5/5/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	39780	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058

TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
5/5/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	41500	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/5/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED STORM WATER (OUTFALL STORM WATER)	30740	LBS.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.
5/5/2009	NON-HAZARDOUS, NON-D.O.T. REGULATED STORM WATER (OUTFALL STORM WATER)	26580	LBS.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.
5/6/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
5/6/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
5/6/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
5/6/2009	NON-HAZARDOUS MATERIAL, NON-D.O.T. REGULATED MATERIAL (SOIL, DEBRIS)	1226	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702 1704 W. FIRST ST. AZUSA, CA. 91702

1704 W. FIRST ST. AZU
1704 W. FIRST ST. AZU

TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
5/6/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	42640	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058

5/6/2009

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
5/13/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
5/13/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
5/13/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	37640	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/13/2009	NON-HAZARDOUS WASTE, LIQUID (SPENT LEAD REMOVAL MEDIA)	4100	LBS.	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/13/2009	NON-HAZARDOUS WASTE, LIQUID (SPENT CATION EXCHANGE MEDIA)	16400	LBS.	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/13/2009	NON-HAZARDOUS WASTE, LIQUID (SPENT LEAD REMOVAL MEDIA)	8200	LBS.	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/13/2009	NON-HAZARDOUS WASTE, LIQUID (SPENT CATION EXCHANGE MEDIA)	12300	LBS.	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/13/2009	NON-HAZARDOUS WASTE, LIQUID (SPENT LEAD REMOVAL MEDIA)	20500	LBS.	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/14/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	40640	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/14/2009	NON-HAZARDOUS WASTE, LIQUID (SPENT LEAD REMOVAL MEDIA)	21880	LBS.	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/14/2009	NON-HAZARDOUS WASTE, LIQUID (SPENT LEAD REMOVAL MEDIA)	5850	LBS.	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/14/2009	NON-HAZARDOUS WASTE, LIQUID (SPENT CATION EXCHANGE MEDIA)	5850	LBS.	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/14/2009	NON-HAZARDOUS WASTE, LIQUID (SPENT CATION EXCHANGE MEDIA)	19420	LBS.	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/15/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	40860	LBS.		

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
5/19/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	41240	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/20/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
5/20/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
5/20/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
5/20/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	41740	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/20/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	40640	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/20/2009	HAZARDOUS WASTE LIQUID (SOIL, TRICHLOROETHENE)	12	CY.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	CHEMICAL WASTE MANAGEMENT 35251 OLD SKYLINE RD. KETTLEMAN CITY, CA. 93239
5/21/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	41260	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/21/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	42960	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/22/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	34920	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
5/26/2009	GROUND WATER WITH TRACE TRICHLOROETHENE	8100	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058

TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
6/2/2009	NON-RCRA HAZARDOUS WASTE LIQUID	1920	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
6/2/2009	NON-RCRA HAZARDOUS WASTE LIQUID	8400	LBS.	MP ENVIRONMENTAL SERVICES	VEOLIA ENVIRONMENTAL SERVICES INC.ICES INC.ICES INC.ICES INC.ICES INC.
6/2/2009	NON-RCRA HAZARDOUS WASTE LIQUID	8400	LBS.	MP ENVIRONMENTAL SERVICES	

TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
6/24/2009	NON-RCRA HAZARDOUS WASTE LIQUID (SURFACTANTS, WATER, SOAP/SURFACTANT)	897	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
6/24/2009	WASTE FLAMMABLE LIQUIDS (METHANOL, WATER)	89	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
6/24/2009	NON-RCRA HAZARDOUS WASTE LIQUID (OIL WATER)	985	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
6/24/2009	NON-RCRA HAZARDOUS WASTE LIQUID (OIL WATER)				

TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
6/24/2009	NON-HAZARDOUS MATERIAL (RINSE WATER)	231	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
6/24/2009	NON-HAZARDOUS MATERIAL (RINSE WATER)	739	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
7/7/2009	HAZARDOUS WASTE LIQUID (SOIL, TRICHLOROETHENE, WATER)	12	CY.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	CHEMICAL WASTE MANAGEMENT 35251 OLD SKYLINE RD. KETTLEMAN CITY, CA. 93239
7/8/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
7/8/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
7/8/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
7/8/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	39700	LBS.		

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
7/27/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	40880	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
7/27/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41560	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
7/28/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41340	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
7/28/2009	NON-RCRA HAZARDOUS WASTE LIQUID (OIL, WATER)	738	LBS	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
7/28/2009	WASTE KEROSENE (KEROSENE)	41	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
7/28/2009	NON-RCRA HAZARDOUS WASTE LIQUID (OIL, WATER)	241	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
7/28/2009	POLYCHLORINATED BIPHENYLS	8	KG.	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
7/30/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41540	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
7/31/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	34960	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
8/3/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41000	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
8/4/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41720	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
8/5/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
8/5/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
8/5/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
8/6/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41260	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
8/7/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	13360	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
8/13/2009	NON-RCRA HAZARDOUS WASTE LIQUID	5140	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
8/19/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
8/19/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
8/19/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson

TABLE 2

**TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009**

**THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309**

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
10/27/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	44020	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
10/28/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
10/28/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
10/28/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
10/28/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	45360	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
10/29/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	43000	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
10/30/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	43820	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
11/5/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
11/5/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
11/5/2009	WASTE WATER FROM AREA I SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
11/5/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	41540	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058

JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
12/11/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	17100	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
12/14/2009	HAZARDOUS WASTE LIQUID (TRICHLOROETHENE)	43320	LBS.	MP ENVIRONMENTAL SERVICES 3400 MANOR STREET, BAKERSFIELD, CA 93308	SIEMENS WATER TECHNOLOGIES 5375 S. BOYLE AVE. LOS ANGELES, CA. 90058
12/16/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
12/16/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
12/16/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Carson
12/17/2009	HAZARDOUS WASTE LIQUID (LEAD, WATER)	4672	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
12/17/2009	NON-RCRA HAZARDOUS WASTE LIQUID (OIL, WATER)	36	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702
12/17/2009	POLYCHLORINATED BIPHENYLS	22	KGS.	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
12/17/2009	NON-RCRA HAZARDOUS WASTE LIQUID (NON-PCB BALLASTS)	68	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
12/17/2009	NON-RCRA HAZARDOUS WASTE LIQUID	4	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043	VEOLIA ENVIRONMENTAL SERVICES INC. 5736 WEST JEFFERSON ST. PHOENIX, AZ. 85043
12/17/2009	WASTE ISOPROPANOL	7	LBS.	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702	VEOLIA ENVIRONMENTAL SERVICES INC. 1704 W. FIRST ST. AZUSA, CA. 91702

TABLE 2
2009 LIQUID WASTE SHIPMENT SUMMARY
JANUARY 2009 THROUGH DECEMBER 2009

THE BOEING COMPANY
SANTA SUSANA SITE
NPDES PERMIT NUMBER CA0001309

DATE SHIPPED	TYPE OF LIQUID	QTY.	UNITS	TRANSPORTER	DESTINATION
12/22/2009	WASTE WATER FROM AREA III SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC. 4120 BANDINI BLVD. LOS ANGELES, CA.	LACSD Saugus
12/22/2009	WASTE WATER FROM AREA II SEWAGE TREATMENT PLANT	5000	GAL.	SOUTHWEST PROCESSORS INC.	

TABLE 3

**2009 SUMMARY OF PERMIT LIMIT AND
BENCHMARK LIMIT EXCEEDENCES**

TABLE 3
SUMMARY OF PERMIT LIMIT AND BENCHMARK LIMIT EXCEEDANCES

**TABLE 3
SUMMARY OF PERMIT LIMIT AND BENCHMARK LIMIT EXCEEDANCES**

**ANNUAL REPORTING SUMMARY 2009
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

MONTHLY AVERAGE PERMIT LIMIT EXCEEDANCES							
OUTFALL	LOCATIONS	SAMPLE DATE	ANALYTE	PERMIT LIMIT MONTHLY AVERAGE	MONTHLY AVERAGE RESULT	UNITS	VALIDATION QUALIFIER
Outfall 011	Perimeter Pond Weir	Feb-09	Lead	2.6	7.1	ug/L	*
Outfall 011	Perimeter Pond Weir	Feb-09	TCDD TEQ_NoDNQ	1.40E-08	1.36E-06	ug/L	*
Outfall 011	Perimeter Pond Weir	Feb-09	Zinc	54	60	ug/L	*

MONTHLY AVERAGE BENCHMARK LIMIT EXCEEDANCES							
OUTFALL	LOCATIONS	SAMPLE DATE	ANALYTE	BENCHMARK LIMIT MONTHLY AVERAGE	MONTHLY AVERAGE RESULT	UNITS	VALIDATION QUALIFIER
Outfall 001	South Slope below Perimeter Pond	Feb-09	Lead	2.6	6.6	ug/L	*
Outfall 001	South Slope below Perimeter Pond	Feb-09	TCDD TEQ_NoDNQ	1.40E-08	7.31E-07	ug/L	*

DAILY MASS BENCHMARK LIMIT EXCEEDANCES							
OUTFALL	LOCATIONS	SAMPLE DATE	ANALYTE	BENCHMARK LIMIT MASS DAILY MAX	DAILY MASS RESULT	UNITS	RESULT CONCENTRATION VALIDATION QUALIFIER
Outfall 009	WS-13 Drainage	02/06/09	TCDD TEQ_NoDNQ	4.20E-09	5.60E-09	lbs/day	*
Outfall 009	WS-13 Drainage	02/13/09	TCDD TEQ_NoDNQ	4.20E-09	1.10E-08	lbs/day	*
Outfall 009	WS-13 Drainage	10/14/09	TCDD TEQ_NoDNQ	4.20E-09	6.97E-09	lbs/day	*