

014
()



**FIRST QUARTER 2011 REASONABLE POTENTIAL ANALYSIS SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

1. The following Reasonable Potential Analysis (RPA) provides the analytical results as performed by the procedures outlined in *Reasonable Potential Analysis Methodology Technical Memo* (MWH and Flow Science, 2006).
2. The monitoring data set utilized to conduct the RPA consists of all applicable and relevant data from August 2004 through the present reporting quarter.
3. As directed by the CTR and the Regional Water Control Board 2,3,7,8-TCDD (Dioxin) values are to be expressed in NPDES permitting and this RPA as TCDD Total Equivalence units (TEQs). A TCDD TEQ is determined by multiplying each of the seventeen dioxin and furan congeners by their respective total equivalence factor (TEF), and summing the results of those products. For the purposes of this RPA, the resulting TCDD TEQ does not include those congener concentrations that are reported as DNQ, as specified on Page 53, of the NPDES Permit Effective June 29, 2009.
4. In calculating the average, standard deviation, coefficient of variation, and projected maximum effluent concentration (99/99), one-half of the MDL was used for concentration results reported as ND. Data reported with qualifiers were not included in this RPA as Boeing believes qualified data are not "appropriate, valid, relevant, (nor) representative"¹ of storm water constituents and are therefore not utilized in its RPA.
5. All of the following abbreviations and/or notes may not occur on every table.

Definition of Acronyms, Abbreviations, and Terminology Used

>=	Greater than or equal to
*	Freshwater aquatic life criteria for metals are expressed as a function of total hardness (mg/L) in the water body. The equations are provided in the CTR, (US EPA, 2000). Values displayed correspond to a total hardness of 100 mg/l.
µg/L	Concentration units, micrograms per liter
All Data Qualified	All available monitoring data are qualified and no statistical analysis is performed.
Annually	The 2009 NPDES Permit requires annual monitoring.
Available Data < DL	All available monitoring data that are not qualified are below detection limits.
B	Background
C	Concentration
CCC	Criterion Continuous Concentration
CMC	Criterion Maximum Concentration
CTR	California Toxics Rule
CV	Coefficient of Variation
DL	Detection Limit
EPA TSD	EPA's Technical Support Document for Water Quality Based Toxics Control, (see references).

1

**FIRST QUARTER 2011 REASONABLE POTENTIAL ANALYSIS SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Definition of Acronyms, Abbreviations, and Terminology Used (Continued)

Fibers/L	Units for asbestos concentration, fibers per liter
HH O	Human Health criteria for consumption of Organisms only
HH W&O	Human Health criteria for consumption of Water and Organisms
MEC	Maximum Observed Effluent Concentration
Min	Minimum
NA	Not Applicable
Narrative	Water quality criteria are expressed as a narrative objective rather than a numeric objective, and therefore are not part of the statistical RPA calculations.
None	No available CTR or Basin Plan criteria.
pH Dependent	CTR Criteria are based on pH.
Once Per Discharge	The 2009 NPDES Permit requires monitoring once per discharge event.
Qualified Data	Data qualifier definitions are: (a) J- The reported result is an estimate. The value is less than the minimum calibration level but greater than the estimated detection limit (EDL), (b) U/UJ- The analyte was not detected in the sample at the detection limit /estimated detection limit (EDL), (c) B- Analyte found in sample and associated blank, and (d) DNQ- Detected Not Quantified.
Reserved	EPA has reserved the CTR criteria.
RPA	Reasonable Potential Analysis
SIP	The State Water Resources Control Board "Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California," (see references).
Tot	Total

Priority Pollutant RPA Column Explanation

CTR	Provides CTR constituent reference number.
Constituent	Provides CTR constituent common name.
Units	Provides the data set's concentration units as referenced by 2009 NPDES Permit.
MEC	Provides the outfall monitoring group's maximum value from the applicable data set.
CV	Equal to the standard deviation divided by the average of the applicable data set. If the number of samples is less than 10, the CV is assumed to be 0.6.
<i>Step 1 identifies all applicable water quality criteria.</i>	
CTR Criteria	Concentration criteria as listed in the CTR.
CMC = Acute	The Freshwater CMC is listed as the acute concentration criterion.
CCC = Chronic	The Freshwater CCC is listed as the chronic concentration criterion.
HH W& O(Not App)	The HH W&O is deemed not applicable based on past Regional Board RPAs.
HH O = HH	The HH O is listed as the CTR human health concentration criterion.
Basin Plan Criteria	Applicable Basin Plan Criteria are listed for the Los Angeles River and/or Calleguas Creek watersheds.

**FIRST QUARTER 2011 REASONABLE POTENTIAL ANALYSIS SUMMARY
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Nonpriority Pollutant RPA Column Explanation (Continued)

Step 1, Determine Water Quality Objectives	The water quality objective is based on appropriate Basin Plan criteria.
BU – Beneficial Use Protection, NC – Human noncarcinogen, AP- Aquatic Life Protection, TMDL – Total Maximum Daily Load	This is the Regional Board’s Basis for determining if reasonable potential should be evaluated for a non-priority pollutant.

Note: Boeing SSFL has completed appropriate statistical calculations, but defers the application of best professional judgment and the final determination of reasonable potential to the Regional Board Staff.

References

Los Angeles Regional Water Quality Control Board, “Basin Plan for the Coastal Watersheds of Los Angeles and Ventura Counties, (Basin Plan).” June 13, 1994.

MWH and Flow Science, “Reasonable Potential Analysis Methodology Technical Memo- Version 1, Final, Santa Susan Field Laboratory, Ventura County, California.” April 28, 2006.

State Water Resources Control Board, “Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California, (SIP)” Resolution No. 2005-0019, February 24, 2005.

US EPA, *40CFR part 131, Water Quality Standards; Establishment of numeric Criteria for Priority Toxic Pollutants for the State of California*,(CTR) Federal Registry, May 18, 2000, pp. 31682-31719.

US EPA, “Technical Support Document for Water Quality-based Toxics Control.” EPA/505/2-90-001, PB-91-127415, March 1991.

**Table F1
REASONABLE POTENTIAL ANALYSIS FOR PRIORITY POLLUTANTS, (OUTFALLS 001, 002, 011 018)**

**FIRST QUARTER 2011
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Outfall	CTR	Constituent	Units	MEC	CV	Step 1: Water Quality Criteria, Determine C					C = Lowest Criteria	Step 2 Is Effluent Data Available	Step 3			Step 4 MEC >= C
						CTR CRITERIA				Basin Plan Title 22 GWR			Was Constituent Detected in Effluent Data	Are all Detection Limits > C	If DL > C, MEC = Min (DL)	
						Freshwater		Human Health								
						CMC = Acute	CCC = Chronic	HH W&O (Not App)	HH O = HH							
1_2_11_18	045	2-chlorophenol	ug/L	All Data Qualified	0.60	NONE	NONE	120	400		400	No	No	No	NA	No
1_2_11_18	046	2,4-Dichlorophenol	ug/L	All Data Qualified	0.60	NONE	NONE	93	790		790	No	No	No	NA	No
1_2_11_18	047	2,4-dimethylphenol	ug/L	All Data Qualified	0.60	NONE	NONE	540	2300		2300	No	No	No	NA	No
1_2_11_18	048	2-Methyl-4,6-dinitrophenol	ug/L	All Data Qualified	0.60	NONE	NONE	13.4	765		765	No	No	No	NA	No
1_2_11_18	049	2,4-dinitrophenol	ug/L	All Data Qualified	0.60	NONE	NONE	70	14000		14000	No	No	No	NA	No
1_2_11_18	050	2-nitrophenol	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	051	4-nitrophenol	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	052	4-Chloro-3-methylphenol	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	053	Pentachlorophenol	ug/L	Available Data <DL	0.60	pH dependent	pH dependent	0.28	8.2	1	1	Yes	No	No	NA	No
1_2_11_18	054	Phenol	ug/L	All Data Qualified	0.60	NONE	NONE	21000	4600000		4600000	No	No	No	NA	No
1_2_11_18	055	2,4,6-Trichlorophenol	ug/L	Available Data <DL	0.60	NONE	NONE	2.1	6.5		6.5	Yes	No	No	NA	No
1_2_11_18	056	Acenaphthene	ug/L	All Data Qualified	0.60	NONE	NONE	1200	2700		2700	No	No	No	NA	No
1_2_11_18	057	Acenaphthylene	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	058	Anthracene	ug/L	All Data Qualified	0.60	NONE	NONE	9600	110000		110000	No	No	No	NA	No
1_2_11_18	059	Benzidine	ug/L	All Data Qualified	0.60	NONE	NONE	0.00012	0.00054		0.00054	No	No	No	NA	No
1_2_11_18	060	Benzo(a)Anthracene	ug/L	All Data Qualified	0.60	NONE	NONE	0.0044	0.049		0.049	No	No	No	NA	No
1_2_11_18	061	Benzo(a)Pyrene	ug/L	All Data Qualified	0.60	NONE	NONE	0.0044	0.049		0.049	No	No	No	NA	No
1_2_11_18	062	Benzo(b)Fluoranthene	ug/L	All Data Qualified	0.60	NONE	NONE	0.0044	0.049		0.049	No	No	No	NA	No
1_2_11_18	063	Benzo(g,h,i)Perylene	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	064	Benzo(k)Fluoranthene	ug/L	All Data Qualified	0.60	NONE	NONE	0.0044	0.049		0.049	No	No	No	NA	No
1_2_11_18	065	Bis(2-Chloroethoxy) methane	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	066	bis (2-Chloroethyl) ether	ug/L	All Data Qualified	0.60	NONE	NONE	0.031	1.4		1.4	No	No	No	NA	No
1_2_11_18	067	Bis(2-Chloroisopropyl) Ether	ug/L	All Data Qualified	0.60	NONE	NONE	1400	170000		170000	No	No	No	NA	No
1_2_11_18	068	bis (2-ethylhexyl) Phthalate	ug/L	Available Data <DL	0.60	NONE	NONE	1.8	5.9	4	4	Yes	No	No	NA	No
1_2_11_18	069	4-Bromophenylphenylether	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	070	Butylbenzylphthalate	ug/L	All Data Qualified	0.60	NONE	NONE	3000	5200		5200	No	No	No	NA	No
1_2_11_18	071	2-Chloronaphthalene	ug/L	All Data Qualified	0.60	NONE	NONE	1700	4300		4300	No	No	No	NA	No
1_2_11_18	072	4-Chlorophenylphenylether	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	073	Chrysene	ug/L	All Data Qualified	0.60	NONE	NONE	0.0044	0.049		0.049	No	No	No	NA	No
1_2_11_18	074	Dibenzo(a,h)Anthracene	ug/L	All Data Qualified	0.60	NONE	NONE	0.0044	0.049		0.049	No	No	No	NA	No
1_2_11_18	075	1,2-Dichlorobenzene	ug/L	Available Data <DL	0.60	NONE	NONE	2700	17000	600	600	Yes	No	No	NA	No
1_2_11_18	076	1,3-Dichlorobenzene	ug/L	Available Data <DL	0.60	NONE	NONE	400	2600		2600	Yes	No	No	NA	No
1_2_11_18	077	1,4-Dichlorobenzene	ug/L	Available Data <DL	0.60	NONE	NONE	400	2600	5	5	Yes	No	No	NA	No
1_2_11_18	078	3,3'-Dichlorobenzidine	ug/L	All Data Qualified	0.60	NONE	NONE	0.04	0.077		0.077	No	No	No	NA	No
1_2_11_18	079	Diethylphthalate	ug/L	All Data Qualified	0.60	NONE	NONE	23000	120000		120000	No	No	No	NA	No
1_2_11_18	080	Dimethylphthalate	ug/L	All Data Qualified	0.60	NONE	NONE	313000	2900000		2900000	No	No	No	NA	No
1_2_11_18	081	Di-n-butylphthalate	ug/L	All Data Qualified	0.60	NONE	NONE	2700	12000		12000	No	No	No	NA	No
1_2_11_18	082	2,4-Dinitrotoluene	ug/L	Available Data <DL	0.60	NONE	NONE	0.11	9.1		9.1	Yes	No	No	NA	No
1_2_11_18	083	2,6-Dinitrotoluene	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	084	Di-n-octylphthalate	ug/L	All Data Qualified	0.60	NONE	NONE	NONE	NONE		NONE	No	No	No	NA	No
1_2_11_18	085	1,2-Diphenylhydrazine	ug/L	All Data Qualified	0.60	NONE	NONE	0.04	0.54		0.54	No	No	No	NA	No
1_2_11_18	086	Fluoranthene	ug/L	All Data Qualified	0.60	NONE	NONE	300	370		370	No	No	No	NA	No
1_2_11_18	087	Fluorene	ug/L	All Data Qualified	0.60	NONE	NONE	1300	14000		14000	No	No	No	NA	No
1_2_11_18	088	Hexachlorobenzene	ug/L	All Data Qualified	0.60	NONE	NONE	0.00075	0.00077		0.00077	No	No	No	NA	No
1_2_11_18	089	Hexachlorobutadiene	ug/L	All Data Qualified	0.60	NONE	NONE	0.44	50		50	No	No	No	NA	No

Table F1
REASONABLE POTENTIAL ANALYSIS FOR PRIORITY POLLUTANTS, (OUTFALLS 003-010)

FIRST QUARTER 2011
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PEN191798Y

Table F1
REASONABLE POTENTIAL ANALYSIS FOR PRIORITY POLLUTANTS, (OUTFALLS 003-010)

**Table F1
REASONABLE POTENTIAL ANALYSIS FOR PRIORITY POLLUTANTS, (OUTFALLS 003-010)**

**FIRST QUARTER 2011
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Outfall	CTR	Constituent	Units	MEC	CV	Step 1: Water Quality Criteria, Determine C				Basin Plan Title 22 GWR	C = Lowest Criteria	Step 2	Step 3		Step 4	
						CTR CRITERIA						Is Effluent Data Available	Was Constituent Detected in Effluent Data	Are all Detection Limits > C	If DL > C, MEC = Min (DL)	MEC >= C
						Freshwater		Human Health								
						CMC = Acute	CCC = Chronic	HH W&O (Not App)	HH O = HH			Was Constituent Detected in Effluent Data	Are all Detection Limits > C	If DL > C, MEC = Min (DL)	MEC >= C	
3-7, 9-10	092	Indeno(1,2,3-cd)Pyrene	ug/L	Available Data <DL	0.60	NONE	NONE	0.0044	0.049		0.049	Yes	No	Yes	0.049	No
3-7, 9-10	093	Isophorone	ug/L	Available Data <DL	0.60	NONE	NONE	8.4	600		600	Yes	No	No	NA	No
3-7, 9-10	094	Naphthalene	ug/L	Available Data <DL	0.60	NONE	NONE	NONE	NONE		NONE	Yes	No	No	NA	No
3-7, 9-10	095	Nitrobenzene	ug/L	Available Data <DL	0.60	NONE	NONE	17	1900		1900	Yes	No	No	NA	No
3-7, 9-10	096	N-Nitrosodimethylamine	ug/L	Available Data <DL	0.60	NONE	NONE	0.00069	8.1		8.1	Yes	No	No	NA	No
3-7, 9-10	097	n-Nitroso-di-n-propylamine	ug/L	Available Data <DL	0.60	NONE	NONE	0.005	1.4		1.4	Yes	No	Yes	1.4	No
3-7, 9-10	098	N-Nitrosodiphenylamine	ug/L	Available Data <DL	0.60	NONE	NONE	5	16		16	Yes	No	No	NA	No
3-7, 9-10	099	Phenanthrene	ug/L	Available Data <DL	0.60	NONE	NONE	NONE	NONE		NONE	Yes	No	No	NA	No
3-7, 9-10	100	Pyrene	ug/L	Available Data <DL	0.60	NONE	NONE	960	11000		11000	Yes	No	No	NA	No
3-7, 9-10	101	1,2,4-Trichlorobenzene	ug/L	Available Data <DL	0.60	NONE	NONE	NONE	NONE		NONE	Yes	No	No	NA	No
3-7, 9-10	102	Aldrin	ug/L	Available Data <DL	0.60	3	NONE	0.00013	0.00014		0.00014	Yes	No	Yes	0.00014	No
3-7, 9-10	103	alpha-BHC	ug/L	Available Data <DL	0.60	NONE	NONE	0.0039	0.013		0.013	Yes	No	No	NA	No
3-7, 9-10	104	beta-BHC	ug/L	Available Data <DL	0.60	NONE	NONE	0.014	0.046		0.046	Yes	No	No	NA	No
3-7, 9-10	105	Lindane (gamma-BHC)	ug/L	Available Data <DL	0.60	0.95	NONE	0.019	0.063	0.2	0.063	Yes	No	No	NA	No
3-7, 9-10	106	delta-BHC	ug/L	Available Data <DL	0.60	NONE	NONE	NONE	NONE		NONE	Yes	No	No	NA	No
3-7, 9-10	107	Chlordane	ug/L	Available Data <DL	0.60	2.4	0.0043	0.00057	0.00059		0.00059	Yes	No	Yes	0.00059	No
3-7, 9-10	108	4,4'-DDT	ug/L	Available Data <DL	0.60	1.1	0.001	0.00059	0.00059		0.00059	Yes	No	Yes	0.00059	No
3-7, 9-10	109	4,4'-DDE	ug/L	Available Data <DL	0.60	NONE	NONE	0.00059	0.00059		0.00059	Yes	No	Yes	0.00059	No
3-7, 9-10	110	4,4'-DDD	ug/L	Available Data <DL	0.60	NONE	NONE	0.00083	0.00084		0.00084	Yes	No	Yes	0.00084	No
3-7, 9-10	111	Dieldrin	ug/L	Available Data <DL	0.60	0.24	0.056	0.00014	0.00014		0.00014	Yes	No	Yes	0.00014	No
3-7, 9-10	112	Endosulfan I	ug/L	Available Data <DL	0.60	0.22	0.056	110	240		0.056	Yes	No	No	NA	No
3-7, 9-10	113	Endosulfan II	ug/L	Available Data <DL	0.60	0.22	0.056	110	240		0.056	Yes	No	No	NA	No
3-7, 9-10	114	Endosulfan Sulfate	ug/L	Available Data <DL	0.60	NONE	NONE	110	240		240	Yes	No	No	NA	No
3-7, 9-10	115	Endrin	ug/L	Available Data <DL	0.60	0.086	0.036	0.76	0.81		0.036	Yes	No	No	NA	No
3-7, 9-10	116	Endrin Aldehyde	ug/L	Available Data <DL	0.60	NONE	NONE	0.76	0.81		0.81	Yes	No	No	NA	No
3-7, 9-10	117	Heptachlor	ug/L	Available Data <DL	0.60	0.52	0.0038	0.00021	0.00021		0.00021	Yes	No	Yes	0.00021	No
3-7, 9-10	118	Heptachlor Epoxide	ug/L	Available Data <DL	0.60	0.52	0.0038	0.0001	0.00011		0.00011	Yes	No	Yes	0.00011	No
3-7, 9-10	119	Aroclor-1016	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
3-7, 9-10	120	Aroclor-1221	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
3-7, 9-10	121	Aroclor-1232	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
3-7, 9-10	122	Aroclor-1242	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
3-7, 9-10	123	Aroclor-1248	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
3-7, 9-10	124	Aroclor-1254	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
3-7, 9-10	125	Aroclor-1260	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
3-7, 9-10	126	Toxaphene	ug/L	Available Data <DL	0.60	0.73	0.0002	0.0073	0.00075		0.0002	Yes	No	Yes	0.0002	No
3-7, 9-10	127	E. Coli	MPN/100 ml	1600	0.6	NA	NA	NA	NA	235	MPN/100 ml	Yes	Yes	NA	NA	Yes
8	001	Antimony	ug/L	0.44	0.60	NONE	NONE	14	4300	6	6	Yes	Yes	NA	NA	No
8	002	Arsenic	ug/L	All Data Qualified	0.60	340	150	NONE	NONE	50	50	No	No	No	NA	No
8	003	Beryllium	ug/L	All Data Qualified	0.60	NONE	NONE	Narrative	Narrative	4	4	No	No	No	NA	No
8	004	Cadmium	ug/L	0.46	0.60		2.5	Narrative	Narrative	5	2.5	Yes	Yes	NA	NA	No
8	005a	Chromium	ug/L	6.9	0.60		206	Narrative	Narrative		207.0	Yes	Yes	NA	NA	No
8	005b	Chromium VI	ug/L	All Data Qualified	0.60	16.3	11.4	Narrative	Narrative	50	11.4	No	No	No	NA	No
8	006	Copper	ug/L	9.33	0.60		9.3	1300	NONE		9.3	Yes	Yes	NA	NA	Yes
8	007	Lead	ug/L	3.8	0.60		3.18	Narrative	Narrative		3.2	Yes	Yes	NA	NA	Yes
8	008	Mercury	ug/L	All Data Qualified	0.60	Reserved	Reserved	0.05	0.051	2	0.051	No	No	No	NA	No
8	009	Nickel	ug/L	All Data Qualified	0.60		52	610	4600	100	52	No	No	No	NA	No

**Table F1
REASONABLE POTENTIAL ANALYSIS FOR PRIORITY POLLUTANTS, (OUTFALLS 003-010)**

**FIRST QUARTER 2011
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Outfall	CTR	Constituent	Units	MEC	CV	Step 1: Water Quality Criteria, Determine C				C = Lowest Criteria	Step 2 Is Effluent Data Available	Was Constituent Detected in Effluent Data	Step 3 Are all Detection Limits > C	If DL > C, MEC = Min (DL)	Step 4 MEC >= C
						Freshwater CMC = Acute	CTR CRITERIA CCC = Chronic	Human Health HH W&O (Not App)	Human Health HH O = HH						

**Table F1
REASONABLE POTENTIAL ANALYSIS FOR PRIORITY POLLUTANTS, (OUTFALLS 003-010)**

**FIRST QUARTER 2011
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Outfall	CTR	Constituent	Units	MEC	Step 1: Water Quality Criteria, Determine C CTR CRITERIA					C = Lowest Criteria	Step 2 Is Effluent Data Available	Step 3 Was Constituent Detected in Effluent Data	Step 3 Are all Detection Limits > C	If DL > C, MEC = Min (DL)	Step 4 MEC >= C
					CV	Freshwater CMC = Acute	CCC = Chronic	Human Health HH W&O (Not App)	HH O = HH						

**Table F1
REASONABLE POTENTIAL ANALYSIS FOR PRIORITY POLLUTANTS, (OUTFALLS 003-010)**

**FIRST QUARTER 2011
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY
NPDES PERMIT CA0001309**

Outfall	CTR	Constituent	Units	MEC	CV	Step 1: Water Quality Criteria, Determine C				Basin Plan Title 22 GWR	C = Lowest Criteria	Step 2	Step 3		Step 4	
						CTR CRITERIA						Is Effluent Data Available	Was Constituent Detected in Effluent Data	Are all Detection Limits > C	If DL > C, MEC = Min (DL)	MEC >= C
						Freshwater		Human Health								
						CMC = Acute	CCC = Chronic	HH W&O (Not App)	HH O = HH							
8	102	Aldrin	ug/L	Available Data <DL	0.60	3	NONE	0.00013	0.00014		0.00014	Yes	No	Yes	0.00014	No
8	103	alpha-BHC	ug/L	Available Data <DL	0.60	NONE	NONE	0.0039	0.013		0.013	Yes	No	No	NA	No
8	104	beta-BHC	ug/L	Available Data <DL	0.60	NONE	NONE	0.014	0.046		0.046	Yes	No	No	NA	No
8	105	Lindane (gamma-BHC)	ug/L	Available Data <DL	0.60	0.95	NONE	0.019	0.063	0.2	0.063	Yes	No	No	NA	No
8	106	delta-BHC	ug/L	Available Data <DL	0.60	NONE	NONE	NONE	NONE		NONE	Yes	No	No	NA	No
8	107	Chlordane	ug/L	Available Data <DL	0.60	2.4	0.0043	0.00057	0.00059		0.00059	Yes	No	Yes	0.00059	No
8	108	4,4'-DDT	ug/L	Available Data <DL	0.60	1.1	0.001	0.00059	0.00059		0.00059	Yes	No	Yes	0.00059	No
8	109	4,4'-DDE	ug/L	Available Data <DL	0.60	NONE	NONE	0.00059	0.00059		0.00059	Yes	No	Yes	0.00059	No
8	110	4,4'-DDD	ug/L	Available Data <DL	0.60	NONE	NONE	0.00083	0.00084		0.00084	Yes	No	Yes	0.00084	No
8	111	Dieldrin	ug/L	Available Data <DL	0.60	0.24	0.056	0.00014	0.00014		0.00014	Yes	No	Yes	0.00014	No
8	112	Endosulfan I	ug/L	Available Data <DL	0.60	0.22	0.056	110	240		0.056	Yes	No	No	NA	No
8	113	Endosulfan II	ug/L	Available Data <DL	0.60	0.22	0.056	110	240		0.056	Yes	No	No	NA	No
8	114	Endosulfan Sulfate	ug/L	Available Data <DL	0.60	NONE	NONE	110	240		240	Yes	No	No	NA	No
8	115	Endrin	ug/L	Available Data <DL	0.60	0.086	0.036	0.76	0.81		0.036	Yes	No	No	NA	No
8	116	Endrin Aldehyde	ug/L	Available Data <DL	0.60	NONE	NONE	0.76	0.81		0.81	Yes	No	No	NA	No
8	117	Heptachlor	ug/L	Available Data <DL	0.60	0.52	0.0038	0.00021	0.00021		0.00021	Yes	No	Yes	0.00021	No
8	118	Heptachlor Epoxide	ug/L	Available Data <DL	0.60	0.52	0.0038	0.0001	0.00011		0.00011	Yes	No	Yes	0.00011	No
8	119	Aroclor-1016	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
8	120	Aroclor-1221	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
8	121	Aroclor-1232	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
8	122	Aroclor-1242	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
8	123	Aroclor-1248	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
8	124	Aroclor-1254	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
8	125	Aroclor-1260	ug/L	Available Data <DL	0.60	NONE	0.014	0.00017	0.00017		0.00017	Yes	No	Yes	0.00017	No
8	126	Toxaphene	ug/L	Available Data <DL	0.60	0.73	0.0002	0.0073	0.00075		0.0002	Yes	No	Yes	0.0002	No
8	127	E. Coli	MPN/100 ml	170	0.6	NA	NA	NA	NA	235	MPN/100 ml	Yes	Yes	NA	NA	Yes

