APPENDIX B

WAST CERTIFICATIONS

Appendix B – Waste Certifications
Table of Contents

1. Waste Characterization: In-Situ Soil Located at ISRA Happy Valley Planned Excavation CYN-1

2. Waste Characterization: In-Situ Soil Located at ISRA Happy Valley Planned Excavation DRG-1

3. Waste Characterization: In-Situ Soil Located at ISRA Happy Valley Planned Excavation HVS-1

4. Waste Characterization: In-Situ Soil Located at ISRA Happy Valley Planned Excavation HVS-2A

5. Waste Characterization: In-Situ Soil Located at ISRA Happy Valley Planned Excavation HVS-2B-1

6. Waste Characterization: Further Soil Excavation at ISRA Happy Valley HVS-2B-1 (Containerized)

7. Waste Characterization: In-Situ Soil Located at ISRA Happy Valley Planned Excavation HVS-2B-2

8. Waste Characterization: In-Situ Soil Located at ISRA Happy Valley Planned Excavation HVS-2C

9. Waste Characterization: In-Situ Soil Located at ISRA Happy Valley Planned Excavation HVS-3

10. Waste Characterization: In-Situ Soil Located at ISRA Happy Valley Planned Excavation HVS-4

11. Waste Characterization: Stockpiled Soil From HVS-2D, HVS-3, and Excavation of the Natural Gas Pipeline

12. Happy Valley Interim Source Removal Action (ISRA). Soil Sampling for Radionuclides. Results and Statistical Analysis. Waste Certification.

13. Waste Characterization: In-Situ Soil Located at ISRA Area II Planned Excavation A2LF-1

14. Waste Characterization: In-Situ Soil Located at ISRA Area II Planned Excavation A2LF-3

15. Area II Landfill Interim Source Removal Action (ISRA). Soil Sampling for Radionuclides. Results and Statistical Analysis. Waste Certification.

WASTE CHARACTERIZATION: IN-SITU SOIL LOCATED AT ISRA HAPPY VALLEY PLANNED EXCAVATION CYN-1

Introduction

This report presents supporting detailed information for the July 16, 2009 in-situ characterization of prospective soil wastes from planned ISRA excavations at Happy Valley.

Background

In-situ characterization of soil destined to be excavated from Happy Valley in accordance with the ISRA Workplan was performed. A step-by-step approach was followed to accomplish characterization of the soil prior to excavation. The first step was to review available information regarding historical area usage and existing analytical data from past soil sampling in the Happy Valley (HV). The objective was to identify all substances that could have an impact on the determination of whether soil in each planned excavation footprint was hazardous or not.

The next step was to develop a random sampling plan for each of the planned excavation footprints to determine whether any of the identified substances are present at concentrations that require further investigation. An evaluation of the results of the initial random sampling was performed to determine whether the data was adequate for waste characterization based on the exhibited variance of any detected analytes and the relative difference between detected concentrations and regulatory thresholds. The soil was characterized non-hazardous when analyte concentrations among the samples exhibited a reasonably small variance and there was satisfactory margin between the mean of the samples and applicable regulatory thresholds. Otherwise, additional samples were collected and subjected to analysis or the soil was characterized as hazardous.

The review of historical information and existing analytical data relevant to planned excavation CYN-1, which was later reduced in size, was based largely on the Group 1A RFI results. No major concerns with respect to hazardous waste characterization were revealed by the review, but it did suggest that any further analysis should focus on regulated metals. This is a small excavation area. To obtain additional data relating to regulated metals, a random sampling plan was developed for collection of four (4) samples from the planned excavation footprint. However, changes were made in the excavation plans after sampling was already completed. The original area was reduced, but this resulted in exclusion of some of the original sample collection points from the new footprint. Accordingly, an additional two (2) samples were collected to account for the new excavation footprint of CYN-1. The samples were all analyzed for CAM 17 metals. All samples were collected, contained, and handled according to field practice requirements in SW-846.

Results

Analytical results for the CYN-1 planned excavation area are presented in TestAmerica reports ISG0122, issued on 7/15/09 and ISH1607, issued on 9/9/09. With the exception of one sample with elevated Lead concentrations, all regulated metals were well below applicable regulatory thresholds. Chromium was the most significant of the detected metals from a regulatory standpoint, but in five of the six samples collected, it was well below the RCRA and California hazardous waste thresholds. Chromium ranged from 16 ppm to 28 ppm in these samples compared to the TCLP 20 X threshold of 100 ppm, the CA TTLC threshold of 2,500 ppm, and the CA STLC 10 X threshold of 50 ppm.

Although Lead was generally observed only at low concentrations, one of the samples collected during the second round of sampling did exhibit Lead at 75 ppm. As this concentration exceeded the CA STLC 10 X threshold (i.e., 50 ppm) requiring leachate testing (WET), the required analysis was performed. The CA WET yielded a 2.7 mg/L concentration for Lead in the sample with the elevated concentration, well below the CA STLC hazardous waste threshold of 5 mg/L. Taking into consideration all of the data from the randomly selected representative samples, the average properties of the soil to be removed during excavation from CYN-1 do not exceed hazardous waste regulatory thresholds.

Determination

According to analytical results and generator knowledge, the soil in the planned excavation footprint of Happy Valley CYN-1:

Is Not a Listed Waste (generator knowledge)
Is Not ignitable (generator knowledge)
Is Not corrosive (generator knowledge)
Is Not reactive (generator knowledge)
Is Not toxic (analytical results and generator knowledge)
- Is Not Extremely or Acutely Hazardous Waste
- Does Not exceed any RCRA or Title 22 thresholds
- Is Not subject to the Prop. 65 listing
- Is Not subject to Title 22 Appendix X list
- Is Not known by experience or testing to pose a hazard to human health or environment because of its carcinogenicity, acute toxicity, chronic toxicity, bio-accumulative properties, or persistence in the environment.

The soil in CYN-1 is NON-HAZARDOUS.

WASTE CHARACTERIZATION: IN-SITU SOIL LOCATED AT
ISRA HAPPY VALLEY PLANNED EXCAVATION DRG-1

Introduction

This report presents supporting detailed information for the July 16, 2009 in-situ characterization of prospective soil wastes from planned ISRA excavations at Happy Valley.

Background

In-situ characterization of soil destined to be excavated from Happy Valley in accordance with the ISRA Workplan was performed. A step-by-step approach was followed to accomplish characterization of the soil prior to excavation. The first step was to review available information regarding historical area usage and existing analytical data from past soil sampling in the Happy Valley (HV). The objective was to identify all substances that could have an impact on the determination of whether soil in each planned excavation footprint was hazardous or not.

The next step was to develop a random sampling plan for each of the planned excavation footprints to determine whether any3(cco)-9(m)7(p)-9(l)5(i)5(s)22(h)7( )-5(so)-9(2)-9(e)-9(x)22(t17(e)-9(xpso)-9
charaternshe (n)13( )-5(i)5(m)7(p)-9(a)-9(c)22(t)-5( )pggo so2va -12.48 TD(o)13(f)-2-920a(t)-5(e)-9(r)7(i)5(z)-5

Determination

According to analytical results and generator knowledge, the soil in the planned excavation footprint of Happy Valley DRG-1:

Is Not a Listed Waste (generator knowledge)
Is Not ignitable (generator knowledge)
Is Not corrosive (generator knowledge)
Is Not reactive (generator knowledge)
Is Not toxic (analytical results and generator knowledge)
- Is Not Extremely or Acutely Hazardous Waste
- Does Not exceed any RCRA or Title 22 thresholds
- Is Not subject to the Prop. 65 listing
- Is Not subject to Title 22 Appendix X list
- Is Not known by experience or testing to pose a hazard to human health or environment because of its carcinogenicity, acute toxicity, chronic toxicity, bio-accumulative properties, or persistence in the environment.

The soil in DRG-1 is NON-HAZARDOUS.

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 008

DRG-1 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:		**ISWC0045**	**ISWC0046**	**ISWC0047**	**ISWC0048**
			Sample Name:		ISWC0045S001	ISWC0046S001	ISWC0047S001	ISWC0048S001
			Collection Date:		7/1/2009	7/1/2009	7/1/2009	7/1/2009
			Sample Depth (feet):		0 - 0.5	0 - 0.5	0.6 - 1.1	1.0 - 1.5
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**RESULT**	**RESULT**	**RESULT**	**RESULT**
METALS								
Antimony	mg/kg	500	150	--	<10	<10	<10	<10
Arsenic	mg/kg	500	50	100	4.6	5.4	6	5.6
Barium	mg/kg	10,000	1,000	2,000	43	70	49	45
Beryllium	mg/kg	75	7.5	--	0.5	0.65	0.68	0.51
Cadmium	mg/kg	100	10	20	<0.5	<0.5	<0.5	<0.5
Chromium	mg/kg	500	50	100	12	15	14	14
Cobalt	mg/kg	8,000	800	--	5.5	4.9	4.2	4.1
Copper	mg/kg	2,500	250	--	6.4	7.6	4.9	7.8
Lead	mg/kg	1,000	50	100	7.8	17	4.9	5.6
Mercury	mg/kg	20	2	4	0.0085 J	0.018 J	0.026 J	0.012 J
Molybdenum	mg/kg	3,500	3,500	--	0.64 J	0.88 J	0.88 J	0.8 J
Nickel	mg/kg	2,000	200	--	10	12	10	10
Selenium	mg/kg	100	10	20	<2	<2	<2	<2
Silver	mg/kg	500	50	100	<1	<1	<1	<1
Thallium	mg/kg	700	70	--	1.2 J	<10	<10	1.2 J
Vanadium	mg/kg	2,400	240	--	19	26	25	22
Zinc	mg/kg	5,000	2,500	--	35	49	36	260
RADIONUCLIDES	--	--	--	--	R	R	R	R

NOTES

"--" - not applicable

[a] - WET Leachate Testing Trigger = STLC limit * 10

[b] - TCLP Leachate Testing Trigger = TCLP limit * 20

B - analyte was detected in the associated method blank

J - Result is estimated

M2 - the matrix spike and/or matrix spike duplicate were below the acceptance limits due to matrix interference

mg/kg - milligrams per kilogram

R - Radiological analysis includes gamma spectroscopy (Na-22, K-40, Mn-54, Co-60, Cs-134, Cs-137, Eu-152, Eu-154, Th-228, Th-232, U-235, U-238 and Am-241), strontium-90, and tritium. Boeing has prepared a document dated August 17, 2009 that provides the radiological results and statistical analysis of the Outfall 008 waste characterization samples. Based on the results, the document certifies the soil represented by these waste characterization samples to be "radiologically" acceptable for shipment to Class 1, 2, and/or 3 disposal facilities. The analysis and data interpretation complies with procedures approved by the California Department of Public Health.

WASTE CHARACTERIZATION: IN-SITU SOIL LOCATED AT
ISRA HAPPY VALLEY PLANNED EXCAVATION HVS-1

Introduction

This report presents supporting detailed information for the July 16, 2009 in-situ characterization of prospective soil wastes from planned ISRA excavations at Happy Valley.

Background

In-situ characterization of soil destined to be excavated from Happy Valley in accordance with

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 008

HVS-1

WASTE CHARACTERIZATION: IN-SITU SOIL LOCATED AT
ISRA HAPPY VALLEY PLANNED EXCAVATION HVS-2A

Introduction

This report presents supporting detailed information for the July 16, 2009 in-situ characterization of prospective soil wastes from planned ISRA excavations at Happy Valley.

Background

In-situ characterization of soil destined to be excavated from Happy Valley in accordance with the ISRA Workplan was performed. A step-by-step approach was followed to accomplish characterization of the soil prior to excavation. The first step was to review available information regarding historical area usage and existing analytical data from past soil sampling in the Happy Valley (HV). The objective was to identify all substances that could have an impact on the determination of whether soil in each planned excavation footprint was hazardous or not.

The next step was to develop a random sampling plan for each of the planned excavation footprints to determine whether any of the identified substances are present at concentrations that require further investigation. An evaluation of the results of the initial random sampling was performed to determine whether the data was adequate for waste characterization based on the exhibited variance of any detected analytes and the relative difference between detected concentrations and regulatory thresholds. The soil was characterized non-hazardous when analyte concentrations among the samples exhibited a reasonably small variance and there was satisfactory margin between the mean of the samples and applicable regulatory thresholds. Otherwise, additional samples were co
rs ed a d alleed vao d dlytry the poil was c0 -12.48 TD [co)-9(a)-9(r)7(a)-9(c)22(t)-5(e)-9(r)7(i)5(ze)13(d)-9( )17

ND to 1.5 ppm. The CA TTLC for Selenium is 100 ppm and the CA STLC 10 X threshold is 10

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 008

IZATION RESULTS

					ISWC0080	**ISWC0081**	**ISWC0082**	**ISWC0083**
					ISWC0080S001	ISWC0081S001	ISWC0082S001	ISWC0083S001
	Collection Date:	7/1/2009	7/29/2009		7/29/2009	7/29/2009	7/30/2009	7/30/2009
	Sample Depth (feet):	0.4 - 0.9	0.3 - 0.7	1.0	0.3 - 0.7	1.5 - 2.0	1.0 - 1.5	1.0 - 1.5
UNITS	**TTLC**	**WET**						

Lea-1 0 11 1104T0 09981 -1 0 16199 62397 Tm [7)1(]-(287)1(1197)017L

Determination

A

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 008

HVS-2B WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:		**ISWC0084**	**ISWC0085**
			Sample Name:		ISWC0084S001	ISWC0085S001
			Collection Date:		7/29/2009	7/29/2009
			Sample Depth (feet):		1.0 - 1.5	0.5 - 1.0
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**RESULT**	**RESULT**
METALS						
Antimony	mg/kg	500	150	--	<10	<10
Arsenic	mg/kg	500	50	100	4.9	4.7
Barium	mg/kg	10,000	1,000	2,000	67	85
Beryllium	mg/kg	75	7.5	--	0.61	0.66
Cadmium	mg/kg	100	10	20	0.23 J	<0.5
Chromium	mg/kg	500	50	100	15	28
Cobalt	mg/kg	8,000	800	--	4.5	8
Copper	mg/kg	2,500	250	--	12	15
Lead	mg/kg	1,000	50	100	34	8
Mercury	mg/kg	20	2	4	0.017 J	0.0066 J
Molybdenum	mg/kg	3,500	3,500	--	<2	<2
Nickel	mg/kg	2,000	200	--	9.1	15
Selenium	mg/kg	100	10	20	<2	<2
Silver	mg/kg	500	50	100	<1	<1
Thallium	mg/kg	700	70	--	<10	<10
Vanadium	mg/kg	2,400	240	--	25	50
Zinc	mg/kg	5,000	2,500	--	41	63
RADIONUCLIDES	--	--	--	--	R	R

NOTES

"--" - not applicable

[a] - WET Leachate Testing Trigger = STLC limit * 10

[b] - TCLP Leachate Testing Trigger = TCLP limit * 20

B - analyte was detected in the associated method blank

J - Result is estimated

M2 - the matrix spike and/or matrix spike duplicate were below the acceptance limits due to matrix interference

mg/kg - milligrams per kilogram

R - Radiological analysis includes gamma spectroscopy (Na-22, K-40, Mn-54, Co-60, Cs-134, Cs-137, Eu-152, Eu-154, Th-228, Th-232, U-235, U-238 and Am-241), strontium-90, and tritium. Boeing has prepared a document dated August 17, 2009 that provides the radiological results and statistical analysis of the Outfall 008 waste characterization samples. Based on the results, the document certifies the soil represented by these waste characterization samples to be "radiologically" acceptable for shipment to Class 1, 2, and/or 3 disposal facilities. The analysis and data interpretation complies with procedures approved by the California Department of Public Health.

This table presents only those waste characterization sample results that actually fall within the boundaries of the final, revised excavation footprints. Other results may have been used in the initial soil characterization, but no longer fall within the final excavation footprints. These results are not included in this table, but have been reassigned as data gap information and are reported elsewhere.

WASTE CHARACTERIZATION: FURTHER SOIL EXCAVATION AT ISRA HAPPY VALLEY HVS-2B-1 (CONTAINERIZED)

Introduction

This report presents supporting detailed information for characterization of additional soil excavated September 15, 2009 from the bottom of the original ISRA HVS-2B-1 site in Happy Valley.

Background

In-situ characterization of soil destined to be excavated from Happy Valley in accordance with the ISRA Workplan was performed. A step-by-step approach was followed to accomplish characterization of the soil prior to excavation. The first step was to review available information regarding historical area usa-5(h)-9(isn)-9(13(f)-5( )-59(i)5(l)a)22(a)-9(v2)17(p)-11(C)(isn)-9(13(f)-5( )-59(i)5(l)a

Further Excavation Performed

Routine confirmation samples were collected from the bottom of HVS-2B-1 following excavation. Analytical results for the HVS-2B-1 confirmation sampling are presented in GEL Laboratories report 236436, issued on 9/10/09. One of the samples exhibited elevated Copper, which is regulated by California, but not under RCRA, at 1,550 ppm. A slightly elevated concentration of Lead was also detected at 54.3 ppm. These results suggested a small pocket of Copper and Lead impacted soil in this area.

As a result of the elevated concentrations, California Waste Extraction Tests (WET) were ordered for the samples to determine the status of the impacted soil relative to California Soluble Threshold Limit Concentration (STLC) thresholds. Additionally, another sample was collected from the area and submitted for analysis of Semi-Volatile Compound (SVOC) concentrations.

To assure proper management of the soil while the WET laboratory analyses were being

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 008

HVS-2B WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

Object Name:	ISWC0086	ISWC0087	ISWC0088

WASTE CHARACTERIZATION: IN-SITU SOIL LOCATED AT
ISRA HAPPY VALLEY PLANNED EXCAVATION HVS-2C

Introduction

This report presents supporting detailed information for the July 16, 2009 in-situ characterization of prospective soil wastes from planned ISRA excavations at Happy Valley.

Background

In-situ characterization of soil destined to be excavated from Happy Valley in accordance with the ISRA Workplan was performed. A step-by-step approach was followed to accomplish characterization of the soil prior to excavation. The first step was to review available information regarding historical area usage and existing analytical data from past soil sampling in the Happy Valley (HV). The objective was to identify all substances that could have an impact on the determination of whether soil in each planned excavation footprint was hazardous or not.

The next step was to develop a random sampling plan for each of the planned excavation footprints to determine whether any of the identified substances are present at concentrations that require further investigation. An evaluation of the results of the initial random sampling was performed to determine whether the data was adequate for waste characterization based on the exhibited variance of any detected analytes and the relative difference between detected concentrations and regulatory thresholds. The soil was characterized non-hazardous when analyte concentrations among the samples exhibited a reasonably small variance and there was satisfactory margin between the mean of the samples and applicable regulatory thresholds. Otherwise, additional samples were co
rs ed a d alleed vao d dlytry the poil was c0 -12.48 TD [co)-9(a)-9(r)7(a)-9(c)22(t)-5(e)-9(r)7(i)5(ze)18(d)-9( )17(r

Determination

According to analytical results and generator knowledge, the soil in the planned excavation footprint of Happy Valley HVS-2C:

Is Not a Listed Waste (generator knowledge)
Is Not ignitable (generator knowledge)
Is Not corrosive (generator knowledge)
Is Not reactive (generator knowledge)
Is Not toxic (analytical results and generator knowledge)
- Is Not Extremely or Acutely Hazardous Waste
- Does Not exceed any RCRA or Title 22 thresholds
- Is Not subject to the Prop. 65 listing
- Is Not subject to Title 22 Appendix X list
- Is Not known by experience or testing to pose a hazard to human health or environment because of its carcinogenicity, acute toxicity, chronic toxicity, bio-accumulative properties, or persistence in the environment.

The soil in HVS-2C is NON-HAZARDOUS.

WASTE CHARACTERIZATION: IN-SITU SOIL LOCATED AT

Determination

According to analytical results and generator knowledge, the soil in the planned excavation footprint of Happy Valley HVS-3:

Is Not a Listed Waste (generator knowledge)
Is Not ignitable (generator knowledge)

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 008

HVS-3 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:		**ISWC0009**	**ISWC0010**	**ISWC0011**	**ISWC0012**	**ISWC0013**	**ISWC0014**	**ISWC0015**	**ISWC0016**
			Sample Name:		ISWC0009S001	ISWC0010S001	ISWC0011S001	ISWC0012S001	ISWC0013S001	ISWC0014S001	ISWC0015S001	ISWC0016S001
			Collection Date:		7/1/2009	7/1/2009	7/1/2009	7/1/2009	7/1/2009	7/1/2009	7/1/2009	7/1/2009
			Sample Depth (feet):		0.2 - 0.7	0.3 - 0.8	0 - 0.5	1.1 - 1.6	1.5 - 2.0	0 - 0.5	0 - 0.5	0 - 0.5
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**RESULT**	**RESULT**	**RESULT**	**RESULT**	**RESULT**	**RESULT**	**RESULT**	**RESULT**
METALS												
Antimony	mg/kg	500	150	--	<10	<10	<10	<10	<10	<10	<10	<10
Arsenic	mg/kg	500	50	100	4.6	4.3	4.9	3.8	4.3	3.6	5.9	4.8
Barium	mg/kg	10,000	1,000	2,000	66	51	53	59	48	47	54	51
Beryllium	mg/kg	75	7.5	--	0.55	0.54	0.55	0.56	0.57	0.44 J		

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 008

HVS-4 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

Object Name:	**ISWC0090**	**ISWC0091**	**ISWC0092**	**ISWC0093**
Sample Name:	ISWC0090S001	ISWC0091S001	ISWC0092S001	ISWC0093S001
Collection Date:	7/29/2009	7/29/2009	7/29/2009	7/29/2009
Sample Depth (feet):	0.1 - 0.2343 0 Td [0)1(.)-5(1)1( )r11991401 7108 169.043 0 Td [0)1(.)-5(1)1( )-5(-)-5( )-5(0)1(0.1197)1( )-5(01(.)-5(1)1( )-5(09			

the bottom of the HVS-2D excavation. Lead in this sample was detected at a concentration of 4.63 ppm, which is far below applicable regulatory thresholds.

HVS-3

The review of historical information and existing analytical data relevant to planned excavation HVS-3 was based largely on the Group 1A RFI results. No major concerns with respect to hazardous waste characterization were revealed by the review, but it did suggest that any further analysis should focus on regulated metals. To obtain additional data relating to regulated metals, a random sampling plan was developed for collection of eight (8) samples from the planned excavation footprint. The samples were to be analyzed for CAM 17 metals. All samples were collected, contained, and handled according to field practice requirements in SW-846.

Analytical results for the HVS-3 planned excavation area are presented in TestAmerica report ISG0120, issued on 7/15/09. All regulated metals were well below applicable regulatory thresholds. Cadmium, Chromium, and Lead were most significant from a regulatory standpoint, but all three were well below their respective RCRA and California hazardous waste thresholds. Cadmium ranged from ND to 1.8 ppm compared to the TCLP 20 X threshold of 20 ppm, the CA TTLC threshold of 100 ppm, and the CA STLC 10 X threshold of 10 ppm. Chromium ranged from 12 ppm to 16 ppm compared to the TCLP 20 X threshold of 100 ppm, the CA TTLC threshold of 2,500 ppm, and the CA STLC 10 X threshold of 50 ppm. Similarly, Lead ranged 8.9 ppm to 24 ppm compared to the TCLP 20 X threshold of 100 ppm, the CA TTLC threshold of 1,000 ppm, and the CA STLC 10 X threshold of 50 ppm. Copper, which is a California only regulated metal, was acsf 50 sigc9(m)7p -12 fro7(5)( )-5(r)7(a)13(n)-9(g)13(e)-9(d)13im,guTJ 0 -12.72(h)13al( )

the California STLC WET threshold of 50 ppm. All other regulated metals exhibited an even greater divergence from applicable regulatory thresholds.

Determination

According to analytical results and generator knowledge, the soil in the stockpile containing material from Happy Valley HVS-2D, HVS-3, and the pipeline excavation trench:

Is Not a Listed Waste (generator knowledge)
Is Not ignitable (generator knowledge)
Is Not corrosive (generator knowledge)
Is Not reactive (generator knowledge)
Is Not characteristically toxic (analytical results and generator knowledge)
- Is Not Extremely or Acutely Hazardous Waste
- Does Not exceed any RCRA or Title 22 thresholds
- Is Not subject to the Prop. 65 listing if it is applied to 22 CCR 66261.24(a)(7)
- Is Not subject to the Title 22 Appendix X list
- Is Not known by experience or testing to pose a hazard to human health or environment because of its carcinogenicity, acute toxicity, chronic toxicity, bioaccumulative properties, or persistence in the environment.

The soil in the stockpile containing soil from Happy Valley HVS-2D, HVS-3, and the pipeline excavation trench is NON-HAZARDOUS.

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 008

HVS-2D, HVS-3, AND PIPELINE NEAR HVS-2A SOIL WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:		**ISWC0113**
			Sample Name:		ISWC0113S001
			Collection Date:		10/22/2009
			Sample Depth (feet):		--[a]
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**RESULT**
METALS					
Antimony	mg/kg	500	150	--	<0.88
Arsenic	mg/kg	500	50	100	6.9
Barium	mg/kg	10,000	1,000	2,000	57
Beryllium	mg/kg	75	7.5	--	0.67
Cadmium	mg/kg	100	10	20	0.42 J
Chromium	mg/kg	500	50	100	15
Cobalt	mg/kg	8,000	800	--	TCB8b992(0)2()]TJ[(C)560 amp. e-5(0)b5 0.42 4

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 008

HVS-2D, HVS-3, AND PIPELINE NEAR HVS-2A SOIL WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

NOTES

Sample was randomly collected from a stockpile containing soil from HVS-2D, HVS-3, and from below the pipeline near HVS-2A

"--" - not applicable

[a] - No sample depth because sample was collected from a stockpile

[b]

Conclusions

Cesium-137 - Based on the results of the statistical analysis of Appendix 1, soil to be excavated from the Happy Valley ISRA area does not ex

not decommissioned material, and does not originate from the proximity of any radiological facility. The sampling in this certification has therefore been conducted as a best management practice that also complies with the requirements of D-62-02. Verification sampling and/or approval by the California Department of Public Health (CDPH) Radiologic Health Branch (RHB) are not required for the off-site disposal of decommissioned material or of the subject material[10].

Phil Rutherford
Manager, Health, Safety & Radiation Services

[10] The California Department of Public Health (CDPH) Radiologic Health Branch (RHB) has stated in a November 9, 2007 email to Phil Rutherford (Boeing) … *"The Governor's Executive Order D-62-02, does not specifically require the Department of Health Services (now the Department of Public Health) to perform verification sampling of decommissioned material or to provide approval for disposal of specific decommissioned material shipped offsite (e.g., to Class I or II landfills). The California DPH has not imposed a requirement that Boeing or the Department of Energy (DOE) seek DPH verification sampling or approval of all decommissioned material destined for Class I or II landfills in compliance with the Governor's Executive Order."*

No.	Soil ID	Cs-137	Adjusted Cs-137	Area	Ranks	Reference Ranks	
20		0.101	0.101	R	80	80	
21		0.148	0.148	R	88	88	
22		0.153	0.153	R	90	90	
23		0.025	0.025	R	38	38	
24		0.188	0.188	R	95	95	
25		0.198	0.198	R	97	97	
26		0.030	0.030	R	43	43	
27		0.079	0.079	R	69	69	
28		0.158	0.158	R	91.5	91.5	
29		0.109	0.109	R	82	82	
30		0.059	0.059	R	60	60	
31		0.067	0.067	R	63.5	63.5	
32		0.113	0.113	R	83.5	83.5	
33		0.015	0.015	R	25	25	
34		0.031	0.031	R	45	45	
35		0.042	0.042	R	54	54	
36		0.097	0.097	R	75.5	75.5	
37		0.015	0.015	R	25	25	
38		0.020	0.020	R	32	32	
39		0.085	0.085	R	71	71	
40		0.080	0.080	R	70	70	
41		0.015	0.015	R	25	25	
42		0.020	0.020	R	32	32	
43		0.035	0.035	R	48.5	48.5	
44		0.035	0.035	R	48.5	48.5	
45		0.025	0.025	R	38	38	
46		0.150	0.150	R	89	89	
47		0.140	0.140	R	0.150	96150	89
		36		0.097	0.097	R	75.5

No.	Soil ID	Cs-137	Adjusted Cs-137	Area	Ranks	Reference Ranks
82	ISWC0080RadS001	0.003	0.003	S	18	0

Wilcoxon Rank Sum Test -- (Strontium-90)

General Information:
The WRS tests whether or not measurements of samples from a survey area (S)
tend to be consistently larger than those from a background reference area (R) by more than the DCGL.

The null hypothesis, Ho, is: Survey sample concentrations exceed those in the background
The alternative hypothesis, Ha, is: Survey sample concentrations do not exceed those in the background

Instruction on how to use this template:
1) Enter analysis results in pCi/gram
2) Enter number of samples for background and survey data sets, m and n.
3) The WRS test is calculated using the method prescribed in

No.	Soil ID	Sr-90

No.	Soil ID	Sr-90	Adjusted Sr-90	Area	Ranks	Reference Ranks
85	ISWC0085RadS001	0.042	0.042	S	68	0
86	ISWC0086RadS001	0.000	0.000	S	10	0
87	ISWC0087RadS001	0.000	0.000	S	9	0
88	ISWC0088RadS001	0.005	0.005	S	18	0
89	ISWC0089RadS001	0.010	0.010	S	24	0
90	ISWC0090RadS001	0.030	0.030	S	47	0
91	ISWC0091RadS001	0.027	0.027	S	43	0
92	ISWC0092RadS001	0.026	0.026	S	41	0
93	ISWC0093RadS001	0.027	0.027	S	44	0
94	ISWC0082RadS001	0.000	0.000	S	11	0
95	ISWC0083RadS001	0.038	0.038	S	61	0
96	ISWC0094RadS001	-0.004	-0.004	S	4	0
97	ISWC0095RadS001	-0.010	-0.010	S	3	0
98	ISWC0112S001	0.011	0.011	S	25	0
99	ISWC0113S001	0.028	0.028	S	45	0
				Sum	4950	3471

Soil Data from Happy Valley ISRA

No.	Sample ID	Stockpile ID	Sampling Date	Laboratory Batch	Cesium-137 (pCi/g)				Strontium-90 (pCi/g)				Tritium (pCi/g)			
					Activity	+/- 2σ Error	MDA	Non-detect?	Activity	+/- 2σ Error	MDA	Non-detect?	Activity	+/- 2σ Error	MDA	Non-detect?
1	ISWC0001S001	N/A	7/1/2009	233955	-0.0102	0.0289	0.0501	NDA	0.0237	0.0284	0.0479	NDA	-0.271	0.381	0.757	NDA
2	ISWC0002S001	N/A	7/1/2009	233955	0.00772	0.021	0.0372	NDA	0.0154	0.0261	0.0449	NDA	-0.723	0.768	1.37	NDA
3	ISWC0003S001	N/A	7/1/2009	233955	0	0.0561	0.052	NDA	0.000558	0.0236	0.0473	NDA	0.342	0.468	0.798	NDA
4	ISWC0004S001	N/A	7/1/2009	233955	0.0181	0.0229	0.0416	NDA	0.0247	0.027	0.0446	NDA	-0.56	0.784	1.39	NDA
5	ISWC0005S001	N/A	7/1/2009	233955	0.0396	0.0286	0.0507	NDA	0.0217	0.025	0.0421	NDA	-0.883	0.745	1.34	NDA
6	ISWC0006S001	N/A	7/1/2009	233955	0.0524	0.0418	0.0459		0.0415	0.0231	0.0322		-0.946	0.768	1.39	NDA
7	ISWC0009S001	N/A	7/1/2009	233955	0.0865	0.037	0.0343		0.027	0.028	0.0468	NDA	0.387	0.46	0.774	NDA
8	ISWC0010S001	N/A	7/1/2009	233955	0.0868	0.0252	0.0295		-0.00173	0.0272	0.0477	NDA	0.124	0.445	0.765	NDA
9	ISWC0011S001	N/A	7/1/2009	233955	0.0654	0.0389	0.0423		0.0237	0.0279	0.0469	NDA	0	0.437	0.76	NDA
10	ISWC0012S001	N/A	7/1/2009	233955	0.0342	0.0414	0.0482	NDA	0.0344	0.0254	0.0413	NDA	-0.412	0.423	0.762	NDA
11	ISWC0013S001	N/A	7/1/2009	233955	0.0231	0.0247	0.0452	NDA	0.0298	0.0281	0.0468	NDA	-0.164	0.43	0.757	NDA
12	ISWC0014S001	N/A	7/1/2009	233955	0.0704	0.0289	0.0323		0.0361	0.0196	0.0276		-0.297	0.425	0.758	NDA
13	ISWC0015S001	N/A	7/1/2009	233955	0.113	0.0458	0.0383		0.0034	0.0253	0.0456	NDA	-0.164	0.431	0.76	NDA
14	ISWC0016S001	N/A	7/1/2009	233955	0.0291	0.0277	0.0493	NDA	0.00886	0.0183	0.0327	NDA	-0.0409	0.434	0.757	NDA
15	ISWC0019S001	N/A	7/1/2009	233955	0.000785	0.0212	0.0362	NDA	-0.00142	0.0243	0.0454	NDA	-0.343	0.788	1.39	NDA
16	ISWC0020S001	N/A	7/1/2009	233955	0.0421	0.0202	0.0242		-0.0182	0.0257	0.0469	NDA	-0.994	0.75	1.36	NDA
17	ISWC0023S001	N/A	7/1/2009	233955	0.0408	0.0219	0.027		0.0371	0.0289	0.0475	NDA	-0.776	0.776	1.39	NDA
18	ISWC0024S001	N/A	7/1/2009	233955	-0.00101	0.0189	0.0321	NDA	0.0245	0.0284	0.0478	NDA	0.052	0.444	0.768	NDA
19	ISWC0028S001	N/A	7/1/2009	233955	0.0361	0.025	0.0453	NDA	0.0329	0.0269	0.043	NDA	0.174	0.443	0.758	NDA
20	ISWC0041S001	N/A	7/1/2009	233955	0.000885	0.0165	0.0292	NDA	0.0359	0.0232	0.0373	NDA	0.155	0.408	0.723	NDA
21	ISWC0042S001	N/A	7/1/2009	233955	-0.0218	0.025	0.038	NDA	0.00868	0.0256	0.0444	NDA	-0.728	0.773	1.38	NDA
22	ISWC0043S001	N/A	7/1/2009	233955	0.000188	0.0206	0.0362	NDA	0.00492	0.022	0.0381	NDA	-1.08	0.761	1.38	NDA
23	ISWC0044S001	N/A	7/1/2009	233955	-0.00186	0.0209	0.0356	NDA	-0.00133	0.0222	0.0398	NDA	-0.386	0.786	1.39	NDA
24	ISWC0045S001	N/A	7/1/2009	233955	0.0312	0.0345	0.0401	NDA	-0.01	0.0267	0.0481	NDA	-0.509	0.772	1.37	NDA
25	ISWC0046S001	N/A	7/1/2009	233955	0.102	0.0279	0.0283		0.0375	0.0217	0.032		-0.428	0.782	1.38	NDA
26	ISWC0047S001	N/A	7/1/2009	233955	-0.00259	0.0197	0.0346	NDA	0.0365	0.0283	0.0462	NDA	-1.12	0.777	1.41	NDA
27	ISWC0048S001	N/A	7/1/2009	233955	0.0182	0.0286	0.051	NDA	-0.000557	0.0173	0.0334	NDA	-0.435	0.779	1.38	NDA
28	ISWC0077RadS001	N/A	7/29/2009	234325	0.0466	0.0253	0.0324		0.0307	0.0238	0.0372	NDA	-0.202	0.488	0.946	NDA
29	ISWC0078RadS001	N/A	7/29/2009	234325	0.00741	0.0218	0.0384	NDA	0.0004	0.0232	0.0459	NDA	-0.0891	0.508	0.958	NDA
30	ISWC0079RadS001	N/A	7/29/2009	234325	-0.0128	0.0199	0.0342	NDA	0.00167	0.0184	0.0353	NDA	-0.0547	0.524	0.981	NDA
31	ISWC0080RadS001	N/A	7/29/2009	234325	0.00257	0.0275	0.0485	NDA	0.0227	0.019	0.0295	NDA	0.26	0.346	0.588	NDA
32	ISWC0081RadS001	N/A	7/29/2009	234325	-0.0104	0.0237	0.0405	NDA	0.0142	0.017	0.0287	NDA	-0.198	0.479	0.928	NDA
33	ISWC0084RadS001	N/A	7/29/2009	234325	0.00972	0.0292	0.0503	NDA	0.00833	0.0263	0.0455	NDA	0.124	0.529	0.954	NDA
34	ISWC0085RadS001	N/A	7/29/2009	234325	0.00143	0.0315	0.054	NDA	0.0419	0.0261	0.0419	NDA	-0.0553	0.529	0.99	NDA
35	ISWC0086RadS001	N/A	7/29/2009	234325	0.0101	0.0252	0.043	NDA	0.000108	0.0164	0.0334	NDA	-0.0265	0.511	0.951	NDA
36	ISWC0087RadS001	N/A	7/29/2009	234325	0.0416	0.0345	0.0431	NDA	3.85E-05	0.0223	0.0397	NDA	0	0.516	0.955	NDA
37	ISWC0088RadS001	N/A	7/29/2009	234325	-0.0187	0.0256	0.0429	NDA	0.00507	0.0218	0.0381	NDA	0.155	0.342	0.598	NDA
38	ISWC0089RadS001	N/A	7/29/2009	234325	0.00158	0.0276	0.0449	NDA	0.0103	0.0272	0.0471	NDA	-0.0415	0.528	0.943	NDA
39	ISWC0090RadS001	N/A	7/29/2009	234325	0.0578	0.0398	0.0413		0.0299	0.0272	0.0451	NDA	-0.0613	0.484	0.898	NDA
40	ISWC0091RadS001	N/A	7/29/2009	234325	0.0611	0.0403	0.044		0.0272	0.0283	0.0472	NDA	-0.183	0.513	0.987	NDA
41	ISWC0092RadS001	N/A	7/29/2009	234325	0.0743	0.0305	0.0407		0.0264	0.0247	0.041	NDA	0.0279	0.537	0.951	NDA
42	ISWC0093RadS001	N/A	7/29/2009	234325	0.0124	0.0255	0.0441	NDA	0.0273	0.0216	0.0333	NDA	-0.331	0.483	0.963	NDA
43	ISWC0082RadS001	N/A	7/30/2009	234376	0.076	0.0434	0.0391		0.000193	0.0153	0.0306	NDA	0.217	0.391	0.677	NDA
44	ISWC0083RadS001	N/A	7/30/2009	234376	0	0.0279	0.053	NDA	0.0378	0.0236	0.0348		0.0694	0.379	0.677	NDA
45	ISWC0094RadS001	N/A	8/17/2009	235405	-0.00482	0.0288	0.0505	NDA	-0.00381	0.026	0.0476	NDA	-0.0872	0.703	1.25	NDA
46	ISWC0095RadS001	N/A	8/17/2009	235405	-0.023	0.0254	0.0409	NDA	-0.00968	0.0123	0.0296	NDA	-0.423	0.678	1.24	NDA
47	ISWC0112S001	N/A	9/14/2009	237286	0.0299	0.0257	0.0465	NDA	0.0108	0.024	0.0436	NDA	0.187	0.603	1.03	NDA
48	ISWC0113S001	N/A	10/22/2009	239640	0.0537	0.0358	0.0435		0.0276	0.0257	0.0414	NDA	0.182	0.408	0.702	NDA

	Cesium-137 (pCi/g)				Strontium-90 (pCi/g)				Tritium (pCi/g)			
	Activity		MDA	Non-detect?	Activity		MDA	Non-detect?	Activity		MDA	Non-detect?
Average	0.027		0.041		0.016		0.041		-0.220		1.008	
Maximum	0.113		0.054		0.042		0.048		0.387		1.410	
Minimum	-0.023		0.024		-0.018		0.028		-1.120		0.588	

Activity	+/- 2

Appendix 2

Analytical Radionuclide Results

ISRA Soil Sample Results for Happy Valley

ISRA Soil Sample Results for Happy Valley

Project Name

ISRA Soil Sample Results for Happy Valley

Project Name	Sampling Organization	Sampling Date	Sampling Location (General)	Sampling Location (Specific)	Sample Serial Number	Media Type	Isotope	Value	Error (+/-)	MDA	Non-Detect?	Units	Error Type	Analysis Protocol	Analysis Organization	Document	Status

ISRA Soil Sample Results for Happy Valley

Project Name	Sampling Organization	Sampling Date	Sampling Location (General)	Sampling Location (Specific)	Sample Serial Number	Media Type	Isotope	Value	Error (+/-)	MDA	Non-Detect?	Units	Error Type	Analysis Protocol	Analysis Organization	Document	Status
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0015	ISWC0015S001	Soil	Europium-152	-0.0101	0.0618	0.0996	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0016	ISWC0016S001	Soil	Europium-152	-0.054	0.0752	0.101	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0019	ISWC0019S001	Soil	Europium-152	-0.039	0.0587	0.0825	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0020	ISWC0020S001	Soil	Europium-152	0.00197	0.0418	0.0652	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0023	ISWC0023S001	Soil	Europium-152	-0.0179	0.05	0.0662	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0024	ISWC0024S001	Soil	Europium-152	-0.00356	0.061	0.0825	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0028	ISWC0028S001	Soil	Europium-152	-0.00641	0.073	0.098	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0041	ISWC0041S001	Soil	Europium-152	0.0195	0.0496	0.0761	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0042	ISWC0042S001	Soil	Europium-152	-0.0414	0.0725	0.11	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0043	ISWC0043S001	Soil	Europium-152	-0.0291	0.058	0.0919	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0044	ISWC0044S001	Soil	Europium-152	-0.0552	0.0597	0.0886	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0045	ISWC0045S001	Soil	Europium-152	-0.00271	0.0605	0.0983	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0046	ISWC0046S001	Soil	Europium-152	-0.0289	0.0467	0.0697	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial

ISRA Soil Sample Results for Happy Valley

ISRA Soil Sample Results for Happy Valley

Project Name	Sampling Organization	Sampling Date	Sampling Location (General)	Sampling Location (Specific)	Sample Serial Number	Media Type	Isotope	Value	Error (+/-)	MDA	Non-Detect?	Units	Error Type	Analysis Protocol	Analysis Organization	Document	Status
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0005	ISWC0005S001	Soil	Potassium-40	22.1	2.02	0.338		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0006	ISWC0006S001	Soil	Potassium-40	21.4	2.22	0.514		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0009	ISWC0009S001	Soil	Potassium-40	23.7	1.66	0.283		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0010	ISWC0010S001	Soil	Potassium-40	26.1	2.05	0.232		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0011	ISWC0011S001	Soil	Potassium-40	25.5	2.12	0.343		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0012	ISWC0012S001	Soil	Potassium-40	25	1.93	0.346		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0013	ISWC0013S001	Soil	Potassium-40	24.5	2.31	0.305		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0014	ISWC0014S001	Soil	Potassium-40	24.6	2.33	0.326		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0015	ISWC0015S001	Soil	Potassium-40	26.6	2.16	0.304		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0016	ISWC0016S001	Soil	Potassium-40	22.7	1.66	0.389		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0019	ISWC0019S001	Soil	Potassium-40	23.1	1.6	0.292		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0020	ISWC0020S001	Soil	Potassium-40	22.7	2.04	0.208		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0023	ISWC0023S001	Soil	Potassium-40	23.8	1.84	0.221		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0024	ISWC0024S001	Soil	Potassium-40	22.4	1.85	0.247		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0028	ISWC0028S001	Soil	Potassium-40	25.7	2.13	0.339		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0041	ISWC0041S001	Soil	Potassium-40	21.6	1.77	0.209		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0042	ISWC0042S001	Soil	Potassium-40	19.8	1.61	0.279		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0043	ISWC0043S001	Soil	Potassium-40	20.3	1.96	0.326		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0044	ISWC0044S001	Soil	Potassium-40	21.4	1.66	0.26		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0045	ISWC0045S001	Soil	Potassium-40	25.6	2.34	0.328		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0046	ISWC0046S001	Soil	Potassium-40	22.5	2.02	0.226		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0047	ISWC0047S001	Soil	Potassium-40	25	1.84	0.278		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0048	ISWC0048S001	Soil	Potassium-40	22.2	2.16	0.473		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0077	ISWC0077RadS001	Soil	Potassium-40	25.4	2.06	0.207		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0078	ISWC0078RadS001	Soil	Potassium-40	23.9	2.01	0.291		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0079	ISWC0079RadS001	Soil	Potassium-40	26.9	1.97	0.292		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0080	ISWC0080RadS001	Soil	Potassium-40	24.6	2.34	0.372		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0081	ISWC0081RadS001	Soil	Potassium-40	23.6	2.03	0.325		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0084	ISWC0084RadS001	Soil	Potassium-40	21.9	1.76	0.353		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0085	ISWC0085RadS001	Soil	Potassium-40	23.4	2.35	0.478		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0086	ISWC0086RadS001	Soil	Potassium-40	22	1.8	0.335		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0087	ISWC0087RadS001	Soil	Potassium-40	23.4	2.23	0.324		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0088	ISWC0088RadS001	Soil	Potassium-40	22.8	1.95	0.363		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0089	ISWC0089RadS001	Soil	Potassium-40	21.7	1.88	0.388		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0090	ISWC0090RadS001	Soil	Potassium-40	19.1	1.45	0.353		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0091	ISWC0091RadS001	Soil	Potassium-40	23.1	1.79	0.413		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0092	ISWC0092RadS001	Soil	Potassium-40	24.1	2.29	0.337		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0093	ISWC0093RadS001	Soil	Potassium-40	24	1.87	0.338		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0082	ISWC0082RadS001	Soil	Potassium-40	23.9	1.97	0.336		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234376	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0083	ISWC0083RadS001	Soil	Potassium-40	26	2.46	0.355		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234376	Pre-remedial
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0094	ISWC0094RadS001	Soil	Potassium-40	21.4	2.19	0.372		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0095	ISWC0095RadS001	Soil	Potassium-40	20.1	1.62	0.383		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	9/14/2009	Happy Valley	ISWC0112	ISWC0112S001	Soil	Potassium-40	22.5	1.87	0.37		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	237286	Pre-remedial
ISRA HV Waste Characterization	MWH	10/22/2009	Happy Valley	ISWC0113	ISWC0113S001	Soil	Potassium-40	22.6	1.9	0.463		pCi/g	2 sigma	DOE HASL 300, 4.5.2.3/Ga-01-R	GEL	239640	Waste
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0001	ISWC0001S001	Soil	Sodium-22	-0.0494	0.0361	0.0564	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0002	ISWC0002S001	Soil	Sodium-22	-0.00381	0.0242	0.0413	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0003	ISWC0003S001	Soil	Sodium-22	-0.0136	0.0326	0.0531	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0004	ISWC0004S001	Soil	Sodium-22	0.0228	0.0261	0.0472	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0005	ISWC0005S001	Soil	Sodium-22	-0.0186	0.032	0.0505	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0006	ISWC0006S001	Soil	Sodium-22	-0.0535	0.0398	0.058	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0009	ISWC0009S001	Soil	Sodium-22	-0.0108	0.0239	0.0393	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0010	ISWC0010S001	Soil	Sodium-22	0.00835	0.0199	0.0347	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0011	ISWC0011S001	Soil	Sodium-22	0.013	0.0304	0.0538	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0012	ISWC0012S001	Soil	Sodium-22	-0.0272	0.0342	0.0539	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0013	ISWC0013S001	Soil	Sodium-22	-0.0185	0.0269	0.0439	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0014	ISWC0014S001	Soil	Sodium-22	-0.000413	0.0252	0.0433	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0015	ISWC0015S001	Soil	Sodium-22	-0.0155	0.0287	0.0468	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0016	ISWC0016S001	Soil	Sodium-22	-0.0123	0.0304	0.0513	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0019	ISWC0019S001	Soil	Sodium-22	-0.00966	0.0238	0.0402	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0020	ISWC0020S001	Soil	Sodium-22	-0.00351	0.0181	0.0309	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0023	ISWC0023S001	Soil	Sodium-22	-0.00216	0.0188	0.0316	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0024	ISWC0024S001	Soil	Sodium-22	-0.0127	0.0228	0.0332	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0028	ISWC0028S001	Soil	Sodium-22	-0.00556	0.0272	0.0454	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0041	ISWC0041S001	Soil	Sodium-22	-0.0166	0.0179	0.0287	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0042	ISWC0042S001	Soil	Sodium-22	-0.0267	0.0268	0.0413	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0043	ISWC0043S001	Soil	Sodium-22	-0.0241	0.0247	0.0391	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0044	ISWC0044S001	Soil	Sodium-22	0.00749	0.0232	0.0401	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0045	ISWC0045S001	Soil	Sodium-22	-0.00943	0.0259	0.0426	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial

ISRA Soil Sample Results for Happy Valley

Project Name	Sampling Organization	Sampling Date	Sampling Location (General)	Sampling Location (Specific)	Sample Serial Number	Media Type	Isotope	Value	Error (+/-)	MDA	Non-Detect?	Units	Error Type	Analysis Protocol	Analysis Organization	Document	Status
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0046	ISWC0046S001	Soil	Sodium-22	-0.0159	0.0187	0.0308	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0047	ISWC0047S001	Soil	Sodium-22	0.0181	0.0239	0.042	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0048	ISWC0048S001	Soil	Sodium-22	-0.00901	0.0349	0.056	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0077	ISWC0077RadS001	Soil	Sodium-22	-0.00888	0.0212	0.0352	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0078	ISWC0078RadS001	Soil	Sodium-22	-0.0122	0.0254	0.0423	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0079	ISWC0079RadS001	Soil	Sodium-22	0.0114	0.0226	0.0391	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0080	ISWC0080RadS001	Soil	Sodium-22	-0.0178	0.0328	0.0528	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0081	ISWC0081RadS001	Soil	Sodium-22	0.00471	0.0298	0.0511	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0084	ISWC0084RadS001	Soil	Sodium-22	0.00553	0.0306	0.0517	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0085	ISWC0085RadS001	Soil	Sodium-22	-0.0145	0.042	0.0676	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0086	ISWC0086RadS001	Soil	Sodium-22	0.0121	0.0277	0.0477	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0087	ISWC0087RadS001	Soil	Sodium-22	-0.00146	0.0297	0.0491	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0088	ISWC0088RadS001	Soil	Sodium-22	-0.00158	0.0282	0.0485	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0089	ISWC0089RadS001	Soil	Sodium-22	0.0167	0.0292	0.0512	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0090	ISWC0090RadS001	Soil	Sodium-22	0.0133	0.0288	0.0491	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0091	ISWC0091RadS001	Soil	Sodium-22	-0.0223	0.0324	0.0516	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0092	ISWC0092RadS001	Soil	Sodium-22	0.009	0.026	0.0457	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0093	ISWC0093RadS001	Soil	Sodium-22	0.015	0.0258	0.0451	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0082	ISWC0082RadS001	Soil	Sodium-22	-0.0221	0.0261	0.0423	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234376	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0083	ISWC0083RadS001	Soil	Sodium-22	-0.0116	0.0277	0.0458	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234376	Pre-remedial
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0094	ISWC0094RadS001	Soil	Sodium-22	-0.00266	0.0376	0.0626	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0095	ISWC0095RadS001	Soil	Sodium-22	0.0381	0.0299	0.0553	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	9/14/2009	Happy Valley	ISWC0112	ISWC0112S001	Soil	Sodium-22	-0.0103	0.0318	0.052	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	237286	Pre-remedial
ISRA HV Waste Characterization	MWH	10/22/2009	Happy Valley	ISWC0113	ISWC0113S001	Soil	Sodium-22	-0.0168	0.0283	0.0454	NDA	pCi/g	2 sigma	DOE HASL 300, 4.5.2.3/Ga-01-R	GEL	239640	Waste
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0001	ISWC0001S001	Soil	Strontium-90	0.0237	0.0284	0.0479	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0002	ISWC0002S001	Soil	Strontium-90	0.0154	0.0261	0.0449	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0003	ISWC0003S001	Soil	Strontium-90	0.000558	0.0236	0.0473	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0004	ISWC0004S001	Soil	Strontium-90	0.0247	0.027	0.0446	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0005	ISWC0005S001	Soil	Strontium-90	0.0217	0.025	0.0421	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0006	ISWC0006S001	Soil	Strontium-90	0.0415	0.0231	0.0322		pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0009	ISWC0009S001	Soil	Strontium-90	0.027	0.028	0.0468	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0010	ISWC0010S001	Soil	Strontium-90	-0.00173	0.0272	0.0477	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0011	ISWC0011S001	Soil	Strontium-90	0.0237	0.0279	0.0469	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0012	ISWC0012S001	Soil	Strontium-90	0.0344	0.0254	0.0413	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0013	ISWC0013S001	Soil	Strontium-90	0.0298	0.0281	0.0468	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0014	ISWC0014S001	Soil	Strontium-90	0.0361	0.0196	0.0276		pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0015	ISWC0015S001	Soil	Strontium-90	0.0034	0.0253	0.0456	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0016	ISWC0016S001	Soil	Strontium-90	0.00886	0.0183	0.0327	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0019	ISWC0019S001	Soil	Strontium-90	-0.00142	0.0243	0.0454	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0020	ISWC0020S001	Soil	Strontium-90	-0.0182	0.0257	0.0469	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0023	ISWC0023S001	Soil	Strontium-90	0.0371	0.0289	0.0475	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0024	ISWC0024S001	Soil	Strontium-90	0.0245	0.0284	0.0478	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0028	ISWC0028S001	Soil	Strontium-90	0.0329	0.0269	0.043	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0041	ISWC0041S001	Soil	Strontium-90	0.0359	0.0232	0.0373	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0042	ISWC0042S001	Soil	Strontium-90	0.00868	0.0256	0.0444	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0043	ISWC0043S001	Soil	Strontium-90	0.00492	0.022	0.0381	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0044	ISWC0044S001	Soil	Strontium-90	-0.00133	0.0222	0.0398	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0045	ISWC0045S001	Soil	Strontium-90	-0.01	0.0267	0.0481	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0046	ISWC0046S001	Soil	Strontium-90	0.0375	0.0217	0.032		pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0047	ISWC0047S001	Soil	Strontium-90	0.0365	0.0283	0.0462	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0048	ISWC0048S001	Soil	Strontium-90	-0.000557	0.0173	0.0334	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0077	ISWC0077RadS001	Soil	Strontium-90	0.0307	0.0238	0.0372	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0078	ISWC0078RadS001	Soil	Strontium-90	0.0004	0.0232	0.0459	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0079	ISWC0079RadS001	Soil	Strontium-90	0.00167	0.0184	0.0353	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0080	ISWC0080RadS001	Soil	Strontium-90	0.0227	0.019	0.0295	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0081	ISWC0081RadS001	Soil	Strontium-90	0.0142	0.017	0.0287	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0084	ISWC0084RadS001	Soil	Strontium-90	0.00833	0.0263	0.0455	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0085	ISWC0085RadS001	Soil	Strontium-90	0.0419	0.0261	0.0419	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0086	ISWC0086RadS001	Soil	Strontium-90	0.000108	0.0164	0.0334	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0087	ISWC0087RadS001	Soil	Strontium-90	3.85E-05	0.0223	0.0397	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0088	ISWC0088RadS001	Soil	Strontium-90	0.00507	0.0218	0.0381	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0089	ISWC0089RadS001	Soil	Strontium-90	0.0103	0.0272	0.0471	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0090	ISWC0090RadS001	Soil	Strontium-90	0.0299	0.0272	0.0451	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0091	ISWC0091RadS001	Soil	Strontium-90	0.0272	0.0283	0.0472	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0092	ISWC0092RadS001	Soil	Strontium-90	0.0264	0.0247	0.041	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0093	ISWC0093RadS001	Soil	Strontium-90	0.0273	0.0216	0.0333	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0082	ISWC0082RadS001	Soil	Strontium-90	0.000193	0.0153	0.0306	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	234376	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0083	ISWC0083RadS001	Soil	Strontium-90	0.0378	0.0236	0.0348		pCi/g	2 sigma	EPA 905.0 Modified	GEL	234376	Pre-remedial

ISRA Soil Sample Results for Happy Valley

Project Name	Sampling Organization	Sampling Date	Sampling Location (General)	Sampling Location (Specific)	Sample Serial Number	Media Type	Isotope	Value	Error (+/-)	MDA	Non-Detect?	Units	Error Type	Analysis Protocol	Analysis Organization	Document	Status
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0094	ISWC0094RadS001	Soil	Strontium-90	-0.00381	0.026	0.0476	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0095	ISWC0095RadS001	Soil	Strontium-90	-0.00968	0.0123	0.0296	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	9/14/2009	Happy Valley	ISWC0112	ISWC0112S001	Soil	Strontium-90	0.0108	0.024	0.0436	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	237286	Pre-remedial
ISRA HV Waste Characterization	MWH	10/22/2009	Happy Valley	ISWC0113	ISWC0113S001	Soil	Strontium-90	0.0276	0.0257	0.0414	NDA	pCi/g	2 sigma	EPA 905.0 Modified	GEL	239640	Waste
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0001	ISWC0001S001	Soil	Thorium-228	1.38	0.153	0.0622		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0002	ISWC0002S001	Soil	Thorium-228	1.41	0.119	0.0551		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0003	ISWC0003S001	Soil	Thorium-228	1.27	0.129	0.0626		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0004	ISWC0004S001	Soil	Thorium-228	1.44	0.151	0.054		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0005	ISWC0005S001	Soil	Thorium-228	1.48	0.145	0.0615		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0006	ISWC0006S001	Soil	Thorium-228	1.29	0.123	0.0676		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0009	ISWC0009S001	Soil	Thorium-228	1.33	0.125	0.0451		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0010	ISWC0010S001	Soil	Thorium-228	1.49	0.117	0.0415		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0011	ISWC0011S001	Soil	Thorium-228	1.5	0.139	0.0558		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0012	ISWC0012S001	Soil	Thorium-228	1.51	0.177	0.0627		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0013	ISWC0013S001	Soil	Thorium-228	1.47	0.128	0.0578		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0014	ISWC0014S001	Soil	Thorium-228	1.39	0.122	0.0536		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0015	ISWC0015S001	Soil	Thorium-228	1.2	0.104	0.0536		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0016	ISWC0016S001	Soil	Thorium-228	1.51	0.149	0.0539		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0019	ISWC0019S001	Soil	Thorium-228	1.48	0.142	0.0432		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0020	ISWC0020S001	Soil	Thorium-228	1.68	0.135	0.0396		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0023	ISWC0023S001	Soil	Thorium-228	1.42	0.112	0.0381		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0024	ISWC0024S001	Soil	Thorium-228	1.65	0.146	Happ,2-34oriH407/01		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterizati155i04.442 -1.265 Td[ISRA HV Waste605aoil)-2128(Thorium-228)-2oil3												pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
I4RA HV Waste Characterization	MWH				070942009MW54ion		ISWC0011	ISWC0011S001	Soil	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial		

-1.265 Td[ISRA HV Waste Characterization)-3063(MWH)-2338(07/01/2009)-1056(Happy Valley)-1536(ISWC0019)-1981(ISWC0019S001)-1952(Soil)-2128(Thorium-T14ion)-1on

ISRA Soil Sample Results for Happy Valley

Project Name	Sampling Organization	Sampling Date	Sampling Location (General)	Sampling Location (Specific)	Sample Serial Number	Media Type	Isotope	Value	Error (+/-)	MDA	Non-Detect?	Units	Error Type	Analysis Protocol	Analysis Organization	Document	Status
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0023	ISWC0023S001	Soil	Thorium-232	1.51	0.211	0.0899		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0024	ISWC0024S001	Soil	Thorium-232	1.56	0.217	0.0987		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0028	ISWC0028S001	Soil	Thorium-232	1.58	0.262	0.131		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0041	ISWC0041S001	Soil	Thorium-232	1.49	0.237	0.0932		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0042	ISWC0042S001	Soil	Thorium-232	1.38	0.232	0.141		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0043	ISWC0043S001	Soil	Thorium-232	1.34	0.233	0.123		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0044	ISWC0044S001	Soil	Thorium-232	1.39	0.212	0.122		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0045	ISWC0045S001	Soil	Thorium-232	1.56	0.243	0.123		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0046	ISWC0046S001	Soil	Thorium-232	1.47	0.231	0.0894		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0047	ISWC0047S001	Soil	Thorium-232	1.64	0.26	0.12		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0048	ISWC0048S001	Soil	Thorium-232	1.27	0.257	0.162		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0077	ISWC0077RadS001	Soil	Thorium-232	1.46	0.229	0.106		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0078	ISWC0078RadS001	Soil	Thorium-232	1.46	0.246	0.136		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0079	ISWC0079RadS001	Soil	Thorium-232	1.7	0.267	0.113		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0080	ISWC0080RadS001	Soil	Thorium-232	1.76	0.278	0.156		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0081	ISWC0081RadS001	Soil	Thorium-232	1.18	0.241	0.133		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0084	ISWC0084RadS001	Soil	Thorium-232	1.45	0.259	0.152		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0085	ISWC0085RadS001	Soil	Thorium-232	1.66	0.301	0.183		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0086	ISWC0086RadS001	Soil	Thorium-232	1.41	0.229	0.147		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0087	ISWC0087RadS001	Soil	Thorium-232	1.38	0.274	0.148		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0088	ISWC0088RadS001	Soil	Thorium-232	1.41	0.236	0.144		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0089	ISWC0089RadS001	Soil	Thorium-232	1.19	0.253	0.143		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0090	ISWC0090RadS001	Soil	Thorium-232	1.03	0.201	0.141		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0091	ISWC0091RadS001	Soil	Thorium-232	1.48	0.252	0.14		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0092	ISWC0092RadS001	Soil	Thorium-232	1.43	0.246	0.118		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0093	ISWC0093RadS001	Soil	Thorium-232	1.59	0.237	0.13		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0082	ISWC0082RadS001	Soil	Thorium-232	1.45	0.232	0.13		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234376	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0083	ISWC0083RadS001	Soil	Thorium-232	1.47	0.256	0.141		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234376	Pre-remedial
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0094	ISWC0094RadS001	Soil	Thorium-232	1.33	0.245	0.179		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0095	ISWC0095RadS001	Soil	Thorium-232	1.4	0.251	0.144		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	9/14/2009	Happy Valley	ISWC0112	ISWC0112S001	Soil	Thorium-232	1.46	0.247	0.145		pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	237286	Pre-remedial
ISRA HV Waste Characterization	MWH	10/22/2009	Happy Valley	ISWC0113	ISWC0113S001	Soil	Thorium-232	1.17	0.221	0.15		pCi/g	2 sigma	DOE HASL 300, 4.5.2.3/Ga-01-R	GEL	239640	Waste
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0001	ISWC0001S001	Soil	Tritium	-0.271	0.381	0.757	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0002	ISWC0002S001	Soil	Tritium	-0.723	0.768	1.37	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0003	ISWC0003S001	Soil	Tritium	0.342	0.468	0.798	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0004	ISWC0004S001	Soil	Tritium	-0.56	0.784	1.39	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0005	ISWC0005S001	Soil	Tritium	-0.883	0.745	1.34	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0006	ISWC0006S001	Soil	Tritium	-0.946	0.768	1.39	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0009	ISWC0009S001	Soil	Tritium	0.387	0.46	0.774	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0010	ISWC0010S001	Soil	Tritium	0.124	0.445	0.765	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0011	ISWC0011S001	Soil	Tritium	0	0.437	0.76	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0012	ISWC0012S001	Soil	Tritium	-0.412	0.423	0.762	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0013	ISWC0013S001	Soil	Tritium	-0.164	0.43	0.757	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0014	ISWC0014S001	Soil	Tritium	-0.297	0.425	0.758	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0015	ISWC0015S001	Soil	Tritium	-0.164	0.431	0.76	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0016	ISWC0016S001	Soil	Tritium	-0.0409	0.434	0.757	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0019	ISWC0019S001	Soil	Tritium	-0.343	0.788	1.39	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0020	ISWC0020S001	Soil	Tritium	-0.994	0.75	1.36	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0023	ISWC0023S001	Soil	Tritium	-0.776	0.776	1.39	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0024	ISWC0024S001	Soil	Tritium	0.052	0.444	0.768	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0028	ISWC0028S001	Soil	Tritium	0.174	0.443	0.758	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	233955	Pre-remedial
															GEL	233955	Pre-remedial

ISRA HV Waste CharacterizationISRA.3051.20 5.88 -5.88 03 edial

ISRA Soil Sample Results for Happy Valley

Project Name	Sampling Organization	Sampling Date	Sampling Location (General)	Sampling Location (Specific)	Sample Serial Number	Media Type	Isotope	Value	Error (+/-)	MDA	Non-Detect?	Units	Error Type	Analysis Protocol	Analysis Organization	Document	Status
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0088	ISWC0088RadS001	Soil	Tritium	0.155	0.342	0.598	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0089	ISWC0089RadS001	Soil	Tritium	-0.0415	0.528	0.943	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0090	ISWC0090RadS001	Soil	Tritium	-0.0613	0.484	0.898	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0091	ISWC0091RadS001	Soil	Tritium	-0.183	0.513	0.987	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0092	ISWC0092RadS001	Soil	Tritium	0.0279	0.537	0.951	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0093	ISWC0093RadS001	Soil	Tritium	-0.331	0.483	0.963	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0082	ISWC0082RadS001	Soil	Tritium	0.217	0.391	0.677	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	234376	Pre-remedial
ISRA HV Waste Characterization	MWH	7/30/2009	Happy Valley	ISWC0083	ISWC0083RadS001	Soil	Tritium	0.0694	0.379	0.677	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	234376	Pre-remedial
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0094	ISWC0094RadS001	Soil	Tritium	-0.0872	0.703	1.25	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	8/17/2009	Happy Valley	ISWC0095	ISWC0095RadS001	Soil	Tritium	-0.423	0.678	1.24	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	235405	Pre-remedial
ISRA HV Waste Characterization	MWH	9/14/2009	Happy Valley	ISWC0112	ISWC0112S001	Soil	Tritium	0.187	0.603	1.03	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	237286	Pre-remedial
ISRA HV Waste Characterization	MWH	10/22/2009	Happy Valley	ISWC0113	ISWC0113S001	Soil	Tritium	0.182	0.408	0.702	NDA	pCi/g	2 sigma	EPA 906.0 Modified	GEL	239640	Waste
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0001	ISWC0001S001	Soil	Uranium-235	0.131	0.126	0.227	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0002	ISWC0002S001	Soil	Uranium-235	0.0664	0.127	0.226	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0003	ISWC0003S001	Soil	Uranium-235	0.025	0.135	0.24	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0004	ISWC0004S001	Soil	Uranium-235	0.028	0.122	0.208	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0005	ISWC0005S001	Soil	Uranium-235	0.0804	0.153	0.244	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0006	ISWC0006S001	Soil	Uranium-235	0.0383	0.168	0.267	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0009	ISWC0009S001	Soil	Uranium-235	0.0737	0.104	0.179	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0010	ISWC0010S001	Soil	Uranium-235	0.121	0.132	0.171	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0011	ISWC0011S001	Soil	Uranium-235	0.0514	0.129	0.228	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0012	ISWC0012S001	Soil	Uranium-235	0.167	0.143	0.256	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0013	ISWC0013S001	Soil	Uranium-235	0.0719	0.128	0.224	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0014	ISWC0014S001	Soil	Uranium-235	0.159	0.132	0.228	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0015	ISWC0015S001	Soil	Uranium-235	0.117	0.13	0.224	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0016	ISWC0016S001	Soil	Uranium-235	0.0882	0.138	0.21	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0019	ISWC0019S001	Soil	Uranium-235	0	0.152	0.16	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0020	ISWC0020S001	Soil	Uranium-235	0.0771	0.0929	0.155	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0023	ISWC0023S001	Soil	Uranium-235	0	0.0954	0.156	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0024	ISWC0024S001	Soil	Uranium-235	0.165	0.133	0.186	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0028	ISWC0028S001	Soil	Uranium-235	0.0918	0.133	0.229	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0041	ISWC0041S001	Soil	Uranium-235	0.066	0.11	0.189	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0042	ISWC0042S001	Soil	Uranium-235	-0.105	0.141	0.235	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0043	ISWC0043S001	Soil	Uranium-235	-0.00919	0.119	0.202	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0044	ISWC0044S001	Soil	Uranium-235	0.154	0.158	0.205	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0045	ISWC0045S001	Soil	Uranium-235	-0.0406	0.129	0.222	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0046	ISWC0046S001	Soil	Uranium-235	0.0735	0.0942	0.165	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0047	ISWC0047S001	Soil	Uranium-235	0.0917	0.121	0.209	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	07/01/2009	Happy Valley	ISWC0048	ISWC0048S001	Soil	Uranium-235	-0.059	0.152	0.234	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	233955	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0077	ISWC0077RadS001	Soil	Uranium-235	0.0538	0.111	0.19	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0078	ISWC0078RadS001	Soil	Uranium-235	0.0379	0.129	0.227	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial
ISRA HV Waste Characterization	MWH	7/29/2009	Happy Valley	ISWC0079	ISWC0079RadS001	Soil	Uranium-235	-0.0533	0.123	0.207	NDA	pCi/g	2 sigma	EML HASL 300, 4.5.2.3	GEL	234325	Pre-remedial

ISRA Soil Sample Results for Happy Valley

Project Name	Sampling Organization	Sampling Date	Sampling Location (General)	Sampling Location (Specific)	Sample Serial Number

WASTE CHARACTERIZATION: IN-SITU SOIL LOCATED AT
ISRA AREA II PLANNED EXCAVATION A2LF-1

Introduction

This report presents supporting detailed information for the September 3, 2009 in-situ characterization of prospective soil wastes from planned ISRA excavations in SSFL Area II.

Background

In-situ characterization of soil destined to be excavated from designated locations in SSFL Area II in accordance with the ISRA Workplan was performed. A step-by-step approach was followed to accomplish characterization of the soil prior to excavation. The first step was to review available information regarding historical area usage and existing analytical data from past soil sampling in the applicable SSFL Area II locations. The objective was to identify all substances that could have an impact on the determination of whether soil in each planned excavation footprint was hazardous or not.

The next step was to develop a random sampling plan for each of the planned excavation footprints to determine whether any of the identified substances are present at concentrations that require further investigation. An evaluation of the results of the initial random sampling was performed to determine whether the data was adequate for waste characterization based on the exhibited variance of any detected analytes and the relative difference between detected concentrations and regulatory thresholds. The soil was characterized non-hazardous when analyte concentrations among the samples exhibited a reasonably small variance and there was

ranging from 2.6 mg/kg to 13 mg/kg. These and all other detected regulated metals were well below regulatory thresholds.

Determination

According to analytical results and generator knowledge, the soil in the planned excavation footprint of SSFL Area II A2LF-1:

Is Not a Listed Waste (generator knowledge)
Is Not ignitable (generator knowledge)
Is Not corrosive (generator knowledge)
Is Not reactive (generator knowledge)
Is Not toxic (analytical results and generator knowledge)
- Is Not Extremely or Acutely Hazardous Waste
- Does not exceed any RCRA or Title 22 thresholds
- Is Not subject to the Prop. 65 listing
- Is Not subject to Title 22 Appendix X list
- Is Not known by experience or testing to pose a hazard to human health or environment because of its carcinogenicity, acute toxicity, chronic toxicity, bio-accumulative properties, or persistence in the environment.

The soil in A2LF-1 is NON-HAZARDOUS.

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 009

A2LF-1 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:		**ISWC0104**	**ISWC0105**	**ISWC0106**	**ISWC0107**
			Sample Name:		ISWC0104S001	ISWC0105S001	ISWC0106S001	ISWC0107S001
			Collection Date:		9/3/2009	9/3/2009	9/3/2009	9/3/2009
			Sample Depth (feet):		0.1 - 0.6	0.4 - 0.9	1.5 - 2.0	0.1 - 0.6
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**RESULT**	**RESULT**	**RESULT**	**RESULT**
METALS								
Ao951 0 44Tsdon001								
Collect9ctiggerv [(A)4(o951 0 44Tsdo)2(n)2W(08-(O)-2(0)2(n)2W(08-(O)-2(0)2(n)2W(08-(O)-2(0)2(n)2W(08-(O)-2(0)2(n)2W(08-(O)-2(0)2(n)2W67(5(1)2( )-5(-)-4( )-5(0)2(.)-5(6)-4966(0)2(.)-(O)m 20-4(p)2(l)554(T)]TJ 98 TD4(W)-45(C)5								

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 009

A2LF-1 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:		**ISWC0104**	**ISWC0105**	**ISWC0106**	**ISWC0107**
			Sample Name:		ISWC0104S001	ISWC0105S001	ISWC0106S001	ISWC0107S001
			Collection Date:		9/3/2009	9/3/2009	9/3/2009	9/3/2009
			Sample Depth (feet):		0.1 - 0.6	0.4 - 0.9	1.5 - 2.0	0.1 - 0.6
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**RESULT**	**RESULT**	**RESULT**	**RESULT**
1,1-Dichloroethane	ug/kg	--	--	--	<0.99	<0.98	<0.99	<0.97
1,1-Dichloroethene	ug/kg	--	--	14,000	<2.0	<2.0	<2.0	<1.9
1,1-Dichloropropene	ug/kg	--	--	--	<0.99	<0.98	<0.99	<0.97
1,2,3-Trichlorobenzene	ug/kg	--	--	--	<2.0 C, I, M2, R-3	<2.0 I	<2.0 I	<1.9 I
1,2,3-Trichloropropane	ug/kg	--	--	--	<2.0 I, M1	<2.0 I	<2.0 I	<1.9 I
1,2,4-Trichlorobenzene	ug/kg	--	--	--	<2.0 I, M2	<2.0 I	<2.0 I	<1.9 I
1,2,4-Trimethylbenzene	ug/kg	--	--	--	<0.99 I, M1, R-3	<0.98 I	<0.99 I	<0.97 I
1,2-Dibromo-3-chloropropane	ug/kg	--	--	--	<9.9 I	<9.8 I	<9.9 I	<9.7 I
1,2-Dibromoethane (EDB)	ug/kg	--	--	--	<0.99	<0.98	<0.99 I	<0.97
1,2-Dichlorobenzene	ug/kg	--	--	--	<0.99 I	<0.98 I	<0.99 I	<0.97 I
1,2-Dichloroethane	ug/kg	--	--	10,000	<0.99	<0.98	<0.99	<0.97
1,2-Dichloropropane	ug/kg	--	--	--	<0.99	<0.98	<0.99	<0.97
1,3,5-Trimethylbenzene	ug/kg	--	--	--	<0.99 I, M1	<0.98 I	<0.99 I	<0.97 I
1,3-Dichlorobenzene	ug/kg	--	--	--	<0.99 C, I	<0.98 I	<0.99 I	<0.97 I
1,3-Dichloropropane	ug/kg	--	--	--	<0.99	<0.98	<0.99 I	<0.97
1,4-Dichlorobenzene	ug/kg	--	--	--	<0.99 I	<0.98 I	<0.99 I	<0.97 I
2,2-Dichloropropane	ug/kg	--	--	--	<0.99	<0.98	<0.99	<0.97
2-Butanone (MEK)	ug/kg	--	--	4,000,000	<9.9	<9.8	<9.9	<9.7
2-Chlorotoluene	ug/kg	--	--	--	<2.0 I	<2.0 I	<2.0 I	<1.9 I
2-Hexanone	ug/kg	--	--	--	<9.9	<9.8	<9.9 I	<9.7
4-Chlorotoluene	ug/kg	--	--	--	<2.0 I, M1	<2.0 I	<2.0 I	<1.9 I
4-Methyl-2-pentanone (MIBK)	ug/kg	--	--	--	<5.0	<4.9	<4.9	<4.9
Acetone	ug/kg	--	--	--	<9.9	<9.8	<9.9	15
Benzene	ug/kg	--	--	10,000	<0.99	<0.98	<0.99	<0.97
Bromobenzene	ug/kg	--	--	--	<2.0 I, M1, R-3	<2.0 I	<2.0 I	<1.9 I
Bromochloromethane	ug/kg	--	--	--	<2.0	<2.0	<2.0	<1.9
Bromodichloromethane	ug/kg	--	--	--	<0.99	<0.98	<0.99	<0.97
Bromoform	ug/kg	--	--	--	<2.0	<2.0	<2.0 I	<1.9
Bromomethane	ug/kg	--	--	--	<2.0	<2.0	<2.0	<1.9
Carbon Disulfide	ug/kg	--	--	--	<5.0	<4.9	<4.9	<4.9
Carbon tetrachloride	ug/kg	--	--	10,000	<2.0	<2.0	<2.0	<1.9
Chlorobenzene	ug/kg	--	--	2,000,000	<0.99	<0.98	<0.99 I	<0.97
Chloroethane	ug/kg	--	--	--	<2.0	<2.0	<2.0	<1.9
Chloroform	ug/kg	--	--	120,000	<0.99	<0.98	<0.99	<0.97
Chloromethane	ug/kg	--	--	--	<2.0	<2.0	<2.0	<1.9
cis-1,2-Dichloroethene	ug/kg	--	--	--	<0.99	<0.98	<0.99	<0.97

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 009

A2LF-1 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:		**ISWC0104**	**ISWC0105**	**ISWC0106**	**ISWC0107**
			Sample Name:		ISWC0104S001	ISWC0105S001	ISWC0106S001	ISWC0107S001
			Collection Date:		9/3/2009	9/3/2009	9/3/2009	9/3/2009
			Sample Depth (feet):		0.1 - 0.6	0.4 - 0.9	1.5 - 2.0	0.1 - 0.6
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**RESULT**	**RESULT**	**RESULT**	**RESULT**
2,4-Dinitrophenol	ug/kg	--	--	--	<660	<660	<660	<660
2,4-Dinitrotoluene	ug/kg	--	--	2,600	<330	<330	<330	<330
2,6-Dinitrotoluene	ug/kg	--	--	--	<330	<330	<330	<330
2-Chloronaphthalene	ug/kg	--	--	--	<330	<330	<330	<330
2-Chlorophenol	ug/kg	--	--	--	<330	<330	<330	<330
2-Methylnaphthalene	ug/kg	--	--	--	<330	<330	<330	<330
2-Methylphenol	ug/kg	--	--	--	<330	<330	<330	<330
2-Nitroaniline	ug/kg	--	--	--	<330	<330	<330	<330
2-Nitrophenol	ug/kg	--	--	--	<330	<330	<330	<330
3,3'-Dichlorobenzidine	ug/kg	--	--	--	<830	<830	<830	<830
3-Nitroaniline	ug/kg	--	--	--	<330	<330	<330	<330
4,6-Dinitro-2-methylphenol	ug/kg	--	--	--	<420	<420	<420	<420
4-Bromophenyl phenyl ether	ug/kg	--	--	--	<330	<330	<330	<330
4-Chloro-3-methylphenol	ug/kg	--	--	--	<330	<330	<330	<330
4-Chloroaniline	ug/kg	--	--	--	<330	<330	<330	<330
4-Chlorophenyl phenyl ether	ug/kg	--	--	--	<330	<330	<330	<330
4-Methylphenol	ug/kg	--	--	--	<330 L	<330 L	<330 L	<330 L
4-Nitroaniline	ug/kg	--	--	--	<830	<830	<830	<830
4-Nitrophenol	ug/kg	--	--	--	<830	<830	<830	<830
Acenaphthene	ug/kg	--	--	--	<330	<330	<330	<330
Acenaphthylene	ug/kg	--	--	--	<330	<330	<330	<330
Aniline	ug/kg	--	--	--	<420	<420	<420	<420
Anthracene	ug/kg	--	--	--	<330	<330	<330	<330
Benzidine	ug/kg	--	--	--	<660	<660	<660	<660
Benzo(a)anthracene	ug/kg	--	--	--	<330	<330	<330	<330
Benzo(a)pyrene	ug/kg	--	--	--	<330	<330	<330	<330
Benzo(b)fluoranthene	ug/kg	--	--	--	<330	<330	<330	<330
Benzo(g,h,i)perylene	ug/kg	--	--	--	<330	<330	<330	<330
Benzo(k)fluoranthene	ug/kg	--	--	--	<330	<330	<330	<330
Benzoic acid	ug/kg	--	--	--	<830	<830	<830	<830
Benzyl alcohol	ug/kg	--	--	--	<330	<330	<330	<330
Bis(2-chloroethoxy)methane	ug/kg	--	--	--	<330	<330	<330	<330
Bis(2-chloroethyl)ether	ug/kg	--	--	--	<170	<170	<170	<170
Bis(2-chloroisopropyl)ether	ug/kg	--	--	--	<330	<330	<330	<330
Bis(2-ethylhexyl)phthalate	ug/kg	--	--	--	<330	<330	<330	<330
Butyl benzyl phthalate	ug/kg	--	--	--	<330	<330	<330	<330

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 009

A2LF-1 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:		**ISWC0104**	**ISWC0105**	**ISWC0106**	**ISWC0107**
			Sample Name:		ISWC0104S001	ISWC0105S001	ISWC0106S001	ISWC0107S001
			Collection Date:		9/3/2009	9/3/2009	9/3/2009	9/3/2009
			Sample Depth (feet):		0.1 - 0.6	0.4 - 0.9	1.5 - 2.0	0.1 - 0.6
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**RESULT**	**RESULT**	**RESULT**	**RESULT**
Chrysene	ug/kg	--	--	--	<330	<330	<330	<330
Dibenz(a,h)anthracene	ug/kg	--	--	--	<420	<420	<420	<420
Dibenzofuran	ug/kg	--	--	--	<330	<330	<330	<330
Diethyl phthalate	ug/kg	--	--	--	<330	<330	<330	<330

WASTE CHARACTERIZATION: IN-SITU SOIL LOCATED AT
ISRA AREA II PLANNED EXCAVATION A2LF-3

Introduction

This report presents supporting detailed information for the September 3, 2009 in-situ characterization of prospective soil wastes from planned ISRA excavations in SSFL Area II.

Background

In-situ characterization of soil destined to be excavated from designated locations in SSFL Area II in accordance with the ISRA Workplan was performed. A step-by-step approach was followed to accomplish characterization of the soil prior to excavation. The first step was to review available information regarding historical area usage and existing analytical data from past soil sampling in the applicable SSFL Area II locations. The objective was to identify all substances that could have an impact on the determination of whether soil in each planned excavation footprint was hazardous or not.

The next step was to develop a random sampling plan for each of the planned excavation footprints to determine whether any of the identified substances are present at concentrations that require further investigation. An evaluation of the results of the initial random sampling was performed to determine whether the data was adequate for waste characterization based on the exhibited variance of any detected analytes and the relative difference between detected concentrations and regulatory thresholds. The soil was characterized non-hazardous when analyte concentrations among the samples exhibited a reasonably small variance and there was satisfactory margin between the mean of the samples and applicable regulatory thresholds. Otherwise, additional samples were collected and subjected to analysis or the soil was characterized as hazardous.

The review of historical information and existing analytical data relevant to planned excavation A2LF-3 was based largely on the Group 2 RFI results. Evaluation of these data and other

ranging from 17 mg/kg to 27 mg/kg. Lead was detected at concentrations ranging from 27 mg/kg to 74 mg/kg. The required California WET for Lead was conducted on the sample that exceeded the total Lead 50 ppm threshold and resulted in a leachate concentration of 3.7 mg/L. Although this is below the California STLC hazardous waste threshold, other factors were also of importance in characterizing this soil. The Lead detections were not tightly grouped.

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 009

A2LF-3

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 009

A2LF-3 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:			**ISWC0108**	**ISWC0109**	**ISWC0110**	**ISWC0111**
			Sample Name:			ISWC0108S001	ISWC0109S001	ISWC0110S001	ISWC0111S001
			Collection Date:			9/3/2009	9/3/2009	9/3/2009	9/3/2009
			Sample Depth (feet):			0.5 - 1.0	0.0 - 0.2	0.0 - 0.2	1.0 - 1.5
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**STLC**	**RESULT**	**RESULT**	**RESULT**	**RESULT**
cis-1,2-Dichloroethene	ug/kg	--	--	--	--	<0.97	<1.0	<2.0 RL1	<0.99
cis-1,3-Dichloropropene	ug/kg	--	--	--	--	<0.97 L	<1.0 L	<2.0 RL1, L	<0.99 L, M7
Dibromochloromethane	ug/kg	--	--	--	--	<0.97	<1.0 I	<2.0 RL1	<0.99
Dibromomethane	ug/kg	--	--	--	--	<0.97	<1.0	<2.0 RL1	<0.99
Dichlorodifluoromethane	ug/kg	--	--	--	--	<4.8	<5.0	<10 RL1	<4.9
Ethylbenzene	ug/kg	--	--	--	--	<0.97	<1.0 I	<2.0 RL1	<0.99
Hexachlorobutadiene	ug/kg	--	--	--	--	<1.9 I	<2.0 I	<4.0 RL1, I	<2.0
Isopropylbenzene	ug/kg	--	--	--	--	<0.97 I			

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 009

A2LF-3 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:			**ISWC0108**	**ISWC0109**	**ISWC0110**	**ISWC0111**
			Sample Name:			ISWC0108S001	ISWC0109S001	ISWC0110S001	ISWC0111S001
			Collection Date:			9/3/2009	9/3/2009	9/3/2009	9/3/2009
			Sample Depth (feet):			0.5 - 1.0	0.0 - 0.2	0.0 - 0.2	1.0 - 1.5
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**STLC**	**RESULT**	**RESULT**	**RESULT**	**RESULT**
2,4-Dimethylphenol	ug/kg	--	--	--	--	<330	<330	<330	<330
2,4-Dinitrophenol	ug/kg	--	--	--	--	<660	<660	<660	<660
2,4-Dinitrotoluene	ug/kg	--	--	2,600	--	<330	<330	<330	<330
2,6-Dinitrotoluene	ug/kg	--	--	--	--	<330	<330	<330	<330
2-Chloronaphthalene	ug/kg	--	--	--	--	<330	<330	<330	<330
2-Chlorophenol	ug/kg	--	--	--	--	<330	<330	<330	<330
2-Methylnaphthalene	ug/kg	--	--	--	--	<330	<330	<330	<330
2-Methylphenol	ug/kg	--	--	--	--	<330	<330	<330	<330
2-Nitroaniline	ug/kg	--	--	--	--	<330	<330	<330	<330
2-Nitrophenol	ug/kg	--	--	--	--	<330	<330	<330	<330
3,3'-Dichlorobenzidine	ug/kg	--	--	--	--	<830	<830	<830	<830
3-Nitroaniline	ug/kg	--	--	--	--	<330	<330	<330	<330
4,6-Dinitro-2-methylphenol	ug/kg	--	--	--	--	<420	<420	<420	<420
4-Bromophenyl phenyl ether	ug/kg	--	--	--	--	<330	<330	<330	<330
4-Chloro-3-methylphenol	ug/kg	--	--	--	--	<330	<330	<330	<330
4-Chloroaniline	ug/kg	--	--	--	--	<330	<330	<330	<330
4-Chlorophenyl phenyl ether	ug/kg	--	--	--	--	<330	<330	<330	<330
4-Methylphenol	ug/kg	--	--	--	--	<330 L	<330	<330 L	<330 L
4-Nitroaniline	ug/kg	--	--	--	--	<830	<830	<830	<830
4-Nitrophenol	ug/kg	--	--	--	--	<830	<830	<830	<830
Acenaphthene	ug/kg	--	--	--	--	<330	<330	<330	<330
Acenaphthylene	ug/kg	--	--	--	--	<330	<330	<330	<330
Aniline	ug/kg	--	--	--	--	<420	<420	<420	<420
Anthracene	ug/kg	--	--	--	--	<330	<330	<330	<330
Benzidine	ug/kg	--	--	--	--	<660	<660	<660	<660
Benzo(a)anthracene	ug/kg	--	--	--	--	<330	<330	<330	<330
Benzo(a)pyrene	ug/kg	--	--	--	--	<330	<330	<330	<330
Benzo(b)fluoranthene	ug/kg	--	--	--	--	<330	<330	<330	<330
Benzo(g,h,i)perylene	ug/kg	--	--	--	--	<330	<330	<330	<330
Benzo(k)fluoranthene	ug/kg	--	--	--	--	<330	<330	<330	<330
Benzoic acid	ug/kg	--	--	--	--	<830	<830	<830	<830
Benzyl alcohol	ug/kg	--	--	--	--	<330	<330	<330	<330
Bis(2-chloroethoxy)methane	ug/kg	--	--	--	--	<330	<330	<330	<330
Bis(2-chloroethyl)ether	ug/kg	--	--	--	--	<170	<170	<170	<170
Bis(2-chloroisopropyl)ether	ug/kg	--	--	--	--	<330	<330	<330	<330
Bis(2-ethylhexyl)phthalate	ug/kg	--	--	--	--	430	<330	<330	<330

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 009

A2LF-3 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

			Object Name:			**ISWC0108**	**ISWC0109**	**ISWC0110**	**ISWC0111**
			Sample Name:			ISWC0108S001	ISWC0109S001	ISWC0110S001	ISWC0111S001
			Collection Date:			9/3/2009	9/3/2009	9/3/2009	9/3/2009
			Sample Depth (feet):			0.5 - 1.0	0.0 - 0.2	0.0 - 0.2	1.0 - 1.5
ANALYTE	**UNITS**	**TTLC**	**WET Leachate Testing Trigger[a]**	**TCLP Leachate Testing Trigger[b]**	**STLC**	**RESULT**	**RESULT**	**RESULT**	**RESULT**
Butyl benzyl phthalate	ug/kg	--	--	--	--	<330	<330	<330	<330
Chrysene	ug/kg	--	--	--	--	<330	<330	<330	<330
Dibenz(a,h)anthracene	ug/kg	--	--	--	--	<420	<420	<420	<420
Dibenzofuran	ug/kg	--	--	--	--	<330	<330	<330	<330
Diethyl phthalate	ug/kg	--	--	--	--	<330	<330	<330	<330
Dimethyl phthalate	ug/kg	--	--	--	--	<330	<330	<330	<330
Di-n-butyl phthalate	ug/kg	--	--	--	--	<330	<330	<330	<330
Di-n-octyl phthalate	ug/kg	--	--	--	--	<330	<330	<330	<330
Fluoranthene	ug/kg	--	--	--	--	<330	<330	<330	<330
Fluorene	ug/kg	--	--	--	--	<330	<330	<330	<330
Hexachlorobenzene	ug/kg	--	--	2,600	--	<330	<330	<330	<330
Hexachlorobutadiene	ug/kg	--	--	10,000	--	<330	<330	<330	<330
Hexachlorocyclopentadiene	ug/kg	--	--	--	--	<830	<830	<830	<830
Hexachloroethane	ug/kg	--	--	60,000	--	<330	<330	<330	<330
Indeno(1,2,3-cd)pyrene	ug/kg	--	--	--	--	<330	<330	<330	<330
Isophorone	ug/kg	--	--	--	--	<330	<330	<330	<330
Naphthalene	ug/kg	--	--	--	--	<330	<330	<330	<330
Nitrobenzene	ug/kg	--	--	40,000	--	<330	<330	<330	<330
N-Nitrosodimethylamine	ug/kg	--	--	--	--	<330	<330	<330	<330
N-Nitroso-di-n-propylamine	ug/kg	--	--	--	--	<250	<250	<250	<250
N-Nitrosodiphenylamine	ug/kg	--	--	--	--	<330	<330	<330	<330
Pentachlorophenol	ug/kg	17,000	17,000	2,000,000	--	<830	<830	<830	<830
Phenanthrene	ug/kg	--	--	--	--	<330	<330	<330	<330
Phenol	ug/kg	--	--	--	--	<330	<330	<330	<330
Pyrene	ug/kg	--	--	--	--	<330	<330	<330	<330
RADIONUCLIDES	--	--	--	--	--	R	R	R	R

INTERIM SOURCE REMOVAL ACTION (ISRA) - OUTFALL 009

A2LF-3 WASTE CHARACTERIZATION RESULTS
THE BOEING COMPANY
SANTA SUSANA FIELD LABORATORY

Notes:

Area II Landfill Interim Source Removal Action (ISRA).
Soil Sampling for Radionuclides.
Results and Statistical Analysis.
Waste Certification.

This data package provides the laboratory results and statistical analysis of pre-excavation samples taken from the Area II Landfill Interim Source Removal Action (ISRA) area. This analysis and data interpretation complies with procedures approved by the California Department of Public Health[1].

Eight (8) samples taken for waste disposal characterization were analyzed for strontium-90, tritium and gamma emitting radionuclides by gamma spectroscopy, using an off-site laboratory. Minimum detectable activity (MDA) for cesium-137 and strontium-90 averaged ~0.044 pCi/g and ~0.040 pCi/g respectively. Minimum detectable activity for tritium averaged 0.82 pCi/g. The gamma spectroscopy library also included the following contaminants-of-concern: Na-22, K-40, Mn-54, Co-60, Cs-134, Cs-137, Eu-152, Eu-154, Th-228, Th-232, U-235, U-238 and Am-241. Laboratory data packages are available on request.

Statistical evaluation of sample analytical results to determine whether or not the sampled waste contains Cs-137 or Sr-90 activity elevated above local background was conducted using the Wilcoxon Rank Sum Test using protocols described in NUREG-1505[2] and DTSC guidance[3] (See Appendix 1). Appendix 2 shows the complete analytical results for all radionuclides. Complete laboratory data packages are available on request.

Local background data for cesium-137 and strontium-90 was taken from Table 20 of the 1995 McLaren/Hart report[4]. Background for tritium in soil is not well established, and is not reported in the 1995 McLaren/Hart report, therefore tritium background in soil is conservatively assumed to be zero. Tritium data is therefore compared to the MDA of the analysis and the EPA preliminary remediation goal (PRG)n r-19.0785.78 Tm(.)Tj0/TT1 re f. B. t -1Pl.s(Con oil is con3(Lancy."tJan)7(5(9(5(, -1.5 Td9 o)

Conclusions

Cesium-137 - Based on the results of the statistical analysis of Appendix 1, soil to be excavated from the Area II Landfill ISRA area does not exceed the local background for Cs-137. The incremental dose from Cs-137 above background is therefore zero mrem/y. The highest Cs-137 result is 0.178 pCi/g which is less than the highest background result. The highest non-background subtracted Cs-137 result is equivalent to an effective dose of 0.125 mrem/y[6].

Strontium-90 - Based on the results of the statistical analysis of Appendix 1, soil to be excavated from the Area II Landfill ISRA area does not exceed the local background for Sr-90. The incremental dose from Sr-90 above background is therefore zero mrem/y. The highest Sr-90 result is 0.029 pCi/g which is less than the highest background result. The highest non-background subtracted Sr-90 result is equivalent to an effective dose of 0.0089 mrem/y[6].

Tritium - All tritium results are non-detect, the average tritium result is -0.31 pCi/g and the highest non-detect tritium result is -0.136 pCi/g. The highest non-detect, non-background subtracted tritium result is equivalent to an effective dose of 0.0 mrem/y[6].

This waste is certified to be "radiologically" acceptable for shipment to, and disposal at, any Class 1, 2 or 3 disposal facility. There are no radiological controls or restrictions imposed on future disposition or use of this soil.

This waste meets the requirements of disposal facility permits[7,8] and complies with the California Health & Safety Code[9].

The Governor's Executive Order D-62-02 prohibits the *"disposal of decommissioned materials to Class III landfills or unclassified management units."* The soil from the Area II Landfill ISRA area

6

Appendix 1

Wilcoxon Rank Sum Statistical Test for Cesium-137 and Strontium-90

Wilcoxon Rank Sum Test -- (Cesium-137)

General Information:
The WRS tests whether or not measurements of samples from a survey area (S)
tend to be consistently larger than those from a background reference area (R) by more than the DCGL.

The null hypothesis, Ho, is: Survey sample concentrations exceed those in the background
The alternative hypothesis, Ha, is: Survey sample concentrations do not exceed those in the background

Instruction on how to use this template:
1) Enter analysis results in pCi/gram
2) Enter number of samples for background and survey data sets, m and n.
3) The WRS test is calculated using the method prescribed in
NUREG-1505, Nuclear Regulatory Commission, “A Non-parametric Statistical Methodology for the Design and Analysis of Final Status Decommissioning Surveys.” January 1998.

No.

Wilcoxon Rank Sum Test -- (Strontium-90)

General Information:
The WRS tests whether or not measurements of samples from a survey area (S)
tend to be consistently larger than those from a background reference area (R) by more than the DCGL.

The null hypothesis, Ho, is: Survey sample concentrations exceed those in the background
The alternative hypothesis, Ha, is: Survey sample concentrations do not exceed those in the background

Instruction on how to use this template:
1) Enter analysis results in pCi/gram
2) Enter number of samples for background and survey data sets, m and n.
3) The WRS test is calculated using the method prescribed in
NUREG-1505, Nuclear Regulatory Commission, "A Non-parametric Statistical Methodology for the Design and Analysis of Final Status Decommissioning Surveys." January 1998.

DCGL (pCi/g)	0.06
Type I Error Rate, Alpha:	0.05
Type II Error Rate, Beta:	0.05
Number of Background Samples, m:	51
Number of Survey Samples, n:	8
Z-value for Alpha	1.645
Critical Value	1604
Sum of Reference Ranks	1734

Test Result:
Survey sample concentrations do not exceed those in the background by more than the DCGL

	Bkgd Ref (R)	Survey (S)
Mean	0.051	0.013
Max	0.130	0.029
Min	0.005	0.004
σ	0.030	0.010
m-1.96*σ	-0.008	-0.007
m+1.96*σ	0.109	0.033

No.	Soil ID	Sr-90	Adjusted Sr-90	Area	Ranks	Reference Ranks
1		0.030	0.090	R	20	20
2		0.010	0.070	R	10.5	10.5
3		0.045	0.105	R	34.5	34.5
4		0.045	0.105	R	34.5	34.5
5		0.050	0.110	R	44	44

7-1.5309(0.050)-0JT*[5)-15301 --b48(445309(0.050)-0JT*p]G4Z1j-0.851 -3.3Sn01 --b48(445309(0.050)-34.5)-6815(34.5)]TJT*[5)-15309(0.050)-5

7-1.530950

Soil Data from Area II Landfill ISRA

No.	Sample ID	Stockpile ID	Sampling Date	Laboratory Batch	Cesium-137 (pCi/g)				Strontium-90 (pCi/g)				Tritium (pCi/g)			
					Activity	+/- 2σ Error	MDA	Non-detect?	Activity	+/- 2σ Error	MDA	Non-detect?	Activity	+/- 2σ Error	MDA	Non-detect?
1	ISWC0104RadS001	N/A	9/3/2009	236678	0.122	0.0529	0.0437		0.00767	0.0224	0.0415	NDA	-0.136	0.51	0.915	NDA
2	ISWC0105RadS001	N/A	9/3/2009	236678	0.123	0.0418	0.0459		0.0287	0.0245	0.0393	NDA	-0.486	0.486	0.909	NDA
3	ISWC0106RadS001	N/A	9/3/2009	236678	-0.0176	0.0223	0.0368	NDA	0.0273	0.0272	0.0443	NDA	-0.365	0.493	0.908	NDA
4	ISWC0107RadS001	N/A	9/3/2009	236678	0.0254	0.0233	0.042	NDA	0.00488	0.0207	0.0398	NDA	-0.368	0.498	0.917	NDA
5	ISWC0108RadS001	N/A	9/3/2009	236678	0.134	0.0496	0.0536		0.0172	0.0223	0.0381	NDA	-0.222	0.517	0.934	NDA
6	ISWC0109RadS001	N/A	9/3/2009	236678	0.128	0.0389	0.0373		0.00413	0.021	0.0405	NDA	-0.411	0.499	0.922	NDA
7	ISWC0110RadS001	N/A	9/3/2009	236678	0.178	0.0445	0.0465		0.00741	0.0162	0.0295	NDA	-0.325	0.497	0.91	NDA
8	ISWC0111RadS001	N/A	9/3/2009	236678	0.0244	0.0243	0.0449	NDA	0.00713	0.0234	0.0443	NDA	-0.165	0.516	0.927	NDA

	Cesium-137 (pCi/g)				Strontium-90 (pCi/g)				Tritium (pCi/g)			
	Activity		MDA	Non-detect?	Activity		MDA	Non-detect?	Activity		MDA	Non-detect?
Average	0.090		0.044		0.013		0.040		-0.310		0.918	
Maximum	0.178		0.054		0.029		0.044		-0.136		0.934	
Minimum	-0.018		0.037		0.004		0.030		-0.486		0.908	
Count				8				8				8
Number of Non-Detects				3				8				8
% Non-Detects				38%				100%				100%

Appendix 2

Analytical Radionuclide Results

ISRA Soil Sample Results for Area II Landfill

Project Name	Sampling Organization	Sampling Date	Sampling Location (General)	Sampling Location (Specific)	Sample Serial Number	Media Type

ISRA Soil Sample Results for Area II Landfill

Project Name	Sampling